


Complete Shop Tools Program



Professional Shop Tools



Wiha Wrenches Index

Description	Page
 Open End Inch/Metric	4-5
 Soft Grip Wrenches	6
 Combination Inch/Metric	7-10
 Box Wrenches Inch/Metric	11

Wiha Water-Proof Boat Tool Kit Index

Description	Page
 Boat Tool Kit	12

Wiha 1/2" Square Drive Bit Sockets Index

Description	Page
 Torx® 1/2" Sq. Drive	12
 Security Torx® 1/2" Sq. Dr.	12
 Slotted 1/2" Square Drive	12
 Phillips 1/2" Square Drive	12


Wiha Impact Bit Holding Sockets Index

Description	Page
 Impact Bit Holding Sockets 1/4" Drive Bits	14

Wiha Torx® & Hex Bit Sockets Index

Description	Page
 Torx® 1/4" Square Drive	13
 Torx® 3/8" Square Drive	13
 Torx® 3/8"-5/16" Bits	13
 Security Torx® 1/4" & 3/8" Sq. Drive	13
 Security Torx® 3/8"-5/16" Bits	13
 TorxPlus® 1/4" & 3/8" Sq. Dr.	13
 Hex 1/4" Sq. Dr. Bit Sockets	14
 Hex 3/8" Sq. Dr. Bit Sockets	14

Wiha Sockets Index

Description	Page
 External Torx® Sockets 1/4", 3/8", 1/2"	15
 6" Bit Sockets 1/4" & 3/8" Drive	15
 1/4" Hex to Sq. Adapter	15
 Socket Sets on Molded Rails	16-17
 1/4" Sockets & Sets	18
 1/4" Socket Accessories	19
 3/8" Sockets & Sets	20-21
 3/8" Socket Accessories	22-23
 3/8" Spark Plug Socket	23
 1/2" Sockets & Sets	24-25
 1/2" Socket Accessories	26-27
 1/2" Spark Plug Socket	28
 Socket Rail System	28

Wiha Scrapers & Awls Index

Description	Page
 SoftFinish Scraper Handle & Blades	29
 Square Reaming Awls	29
 Gasket Scraper	29



Wiha Maxiflex Hose System Index

Description	Page
 Maxiflex Hose System 1/4"	34
 Maxiflex Hose System 1/2"	35



Wiha Metric Punches Index

Description	Page
 Tapered Punches	30
 Center Punches	30
 Parallel Pin Punches	30

Wiha Calipers/Rulers/Levels Index

Description	Page
 Digital Caliper	36
 Dial Caliper-ESD & Standard	36
 Vernier Caliper	36
 Maxiflex Folding Rulers	37
 Torpedo Level	37

Wiha Hammers Index

Description	Page
 Dead Blow Hammers	31
 Sledge Hammers	31
 Hammer Faces	31-32
 Hickory Handles	31
 Split Head Mallets	32
 Mallet Housing	33
 Split Head Mallet Handles	33
 Split Head Hammer Sets	33

Wiha Open End Wrenches

Meets DIN 3110 / ISO10102 Specifications




Narrow profile
for better access
in tight locations

31CRV3 tool steel
forgings Precision
formed for an
exact fit

Wide I-beam for
better gripping

Satin Chromed
Sure Grip Body

The wrench specified by BMW,
Mercedes & Rolls Royce



350 Open End Wrenches Metric DIN 3110 / ISO 10102

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	 mm	 mm	OAL mm	OAL Inch	H mm	D ¹ mm	D ² mm	 lbs.	 pkg.
35001	4.0 x	5.0	103	4.0	3.3	11.6	13.7	.02	10
35002	5.0 x	5.5	104	4.1	3.3	13.7	14.7	.02	10
35003	5.5 x	7.0	122	4.8	3.6	15.7	17.7	.04	10
35004	6.0 x	7.0	122	4.8	3.6	15.7	17.7	.04	10
35006	8.0 x	9.0	140	5.5	3.9	20.8	22.9	.07	10
35007	8.0 x	10.0	140	5.5	3.9	20.8	22.9	.07	10
35008	10.0 x	11.0	156	6.1	4.8	23.9	26.9	.12	10
35009	10.0 x	13.0	172	6.7	5.3	24.0	30.0	.15	10
35010	12.0 x	13.0	172	6.7	5.3	28.0	31.0	.13	10
35011	12.0 x	14.0	172	6.7	5.3	28.0	31.0	.13	10
35012	13.0 x	14.0	190	7.5	5.7	32.5	34.9	.20	10
35013	14.0 x	15.0	190	7.5	5.7	32.5	34.9	.20	10
35014	16.0 x	17.0	204	8.0	5.9	36.1	39.2	.23	10
35015	16.0 x	18.0	204	8.0	5.9	36.1	39.2	.23	10
35016	18.0 x	19.0	223	8.7	6.5	40.2	42.3	.33	1
35017	19.0 x	22.0	236	9.3	6.8	44.9	48.4	.42	1
35018	20.0 x	22.0	236	9.3	6.8	44.9	48.4	.41	1
35019	21.0 x	23.0	250	9.8	7.3	47.4	51.5	.58	1
35020	22.0 x	24.0	250	9.8	7.3	47.4	51.5	.57	1
35021	24.0 x	26.0	265	10.4	7.8	52.5	58.6	.70	1
35022	24.0 x	27.0	265	10.4	7.8	52.5	58.6	.68	1
35023	25.0 x	28.0	280	11.0	8.1	55.2	61.3	.77	1
35024	27.0 x	29.0	280	11.0	8.1	58.6	64.4	.79	1
35025	27.0 x	30.0	280	11.0	8.1	58.6	64.4	.78	1
35026	30.0 x	32.0	302	11.8	8.6	64.8	70.3	1.06	1
35027	32.0 x	36.0	325	12.7	8.8	66.5	74.5	1.21	1
35028	36.0 x	41.0	358	14.0	8.8	74.5	84.0	1.61	1
35029	46.0 x	50.0	450	17.6	10.8	93.5	105.0	3.23	1


350 Open End Wrenches Inch DIN 3110 / ISO 10102

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item	 AF	 AF	OAL	OAL	H	D ¹	D ²		
No.	Inch	Inch	mm	Inch	mm	mm	mm	lbs.	pkg.
35032	1/4 x 5/16		190	7.5	5.7	32.5	34.9	.20	10
35033	5/16 x 3/8		204	8.0	5.9	36.1	39.2	.23	10
35034	3/8 x 7/16		236	9.3	6.8	44.9	48.4	.45	10
35035	7/16 x 1/2		250	9.8	7.3	47.4	51.5	.58	10
35036	1/2 x 9/16		190	7.5	5.7	32.5	34.9	.20	10
35037	9/16 x 5/8		190	7.5	5.7	32.5	34.9	.20	10
35038	19/32 x 11/16		204	8.0	5.9	36.1	29.2	.24	10
35039	5/8 x 11/16		204	8.0	5.9	36.1	29.2	.23	10
35040	5/8 x 3/4		223	8.7	6.5	40.2	42.3	.34	1
35041	11/16 x 3/4		223	8.7	6.5	40.2	42.3	.33	1
35042	3/4 x 25/32		236	9.3	6.8	44.9	48.4	.42	1
35043	3/4 x 7/8		236	9.3	6.8	44.9	48.4	.41	1
35044	13/16 x 7/8		236	9.3	6.8	44.9	48.4	.40	1
35045	7/8 x 15/16		250	9.8	7.3	47.4	51.5	.57	1
35046	15/16 x 1		265	10.4	7.8	52.5	58.6	.68	1
35047	1 x 1-1/8		280	11.0	8.1	55.7	61.3	.76	1
35048	1-1/16x1-1/4		302	11.8	8.6	59.7	69.9	1.01	1
35049	1-1/8x1-5/16		302	11.8	8.6	64.8	70.3	1.06	1
35050	1-3/16x1-5/16		302	11.8	8.6	64.8	70.3	1.03	1
35051	1-1/4 x 1-3/8		325	12.7	8.8	66.5	74.5	1.22	1
35052	1-5/16x1-1/2		325	12.7	8.8	66.5	74.5	1.19	1
35053	1-7/16x1-5/8		358	14.0	8.8	74.5	84.0	1.60	1
35054	1-1/2 x 1-5/8		358	14.0	8.8	74.5	84.0	1.56	1
35055	1-11/16x1-7/8		400	15.7	9.8	84.0	93.5	2.18	1
35056	1-13/16 x 2		450	17.6	10.8	93.5	105.0	3.22	1

SHOP NOW

Wiha Open End Wrenches



- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit


35090 12 Piece Set Metric Open End Wrenches

Item No. 35090 Includes:

4.0 x 5.0, 5.0 x 5.5, 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0,
12.0 x 13.0, 14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0,
21.0 x 23.0, 20.0 x 22.0, 24.0 x 26.0



lbs. 3.30



35092 15 Piece Set Metric Open End Wrenches In tool box

Item No. 35092 Includes:

6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0,
16.0 x 17.0, 18.0 x 19.0, 20.0 x 22.0, 21.0 x 23.0,
24.0 x 26.0, 25.0 x 28.0, 27.0 x 29.0, 30.0 x 32.0,
36.0 x 41.0, 46.0 x 50.0



lbs.
15.00


35094 10 Piece Set Metric Open End Wrenches

Item No. 35094 Includes:

6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0, 14.0 x 15.0,
16.0 x 17.0, 18.0 x 19.0, 20.0 x 22.0, 21.0 x 23.0,
24.0 x 26.0




lbs. 3.31



35096 7 Piece Set Metric Open End Wrenches

Item No. 35096 Includes:

6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0, 12.0 x 13.0,
14.0 x 15.0, 16.0 x 17.0, 18.0 x 19.0




lbs. 1.50




35098 5 Piece Set Metric Open End Wrenches

Item No. 35098 Includes:

4.0 x 5.0, 5.0 x 5.5, 6.0 x 7.0, 8.0 x 9.0, 10.0 x 11.0



lbs. .55




- Made from 31CRV3 high performance tool steel
- Satin chromed sure grip body
- Precision formed for exact fit



35091 11 Piece Set Inch Open End Wrenches In tool box

Item No. 35091 Includes:

1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16,
3/4x25/32, 13/16x7/8, 15/16x1, 1x1-1/8,
1-1/16x1-1/4, 1-1/8x1-5/16"




lbs. 8.92



35093 15 Piece Set Inch Open End Wrenches In tool box

Item No. 35093 Includes:

1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16,
3/4x25/32, 13/16x7/8, 15/16x1, 1x1-1/8, 1-1/16x1-1/4,
1-1/8x1-5/16, 1-5/16x1-1/2, 1-7/16x1-5/8,
1-11/16x1-7/8, 1-13/16x2"




lbs. 17.7

35095 10 Piece Set Inch Open End Wrenches In tool box

Item No. 35095 Includes:

3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x25/32,
13/16x7/8, 15/16x1, 1-1/16x1-1/4, 1-1/8x1-5/16,
1-1/4x1-3/8, 1-5/16x1-1/2"




lbs. 8.92



35097 7 Piece Set Inch Open End Wrenches

Item No. 35097 Includes:

1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x25/32,
13/16x7/8, 15/16x1"




lbs. 2.70



35099 5 Piece Set Inch Open End Wrenches


Item No. 35099 Includes:

3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8"



lbs. 1.55


Wiha Soft Grip Wrenches



- Made from 31CRV3 high performance tool steel
- Precision formed for exact fit
- Soft grip body

500 Soft Grip Wrenches Inch DIN 3113A/ISO 3318 - ISO 7738

Item No.	AF	OAL	OAL	H ¹	H ²	D ¹	D ²	lbs.	pkg.
No.	Inch	mm	Inch	mm	mm	mm	mm		
50043	1/4	100	3.9	5.0	3.9	10.1	15.7	.03	1
50044	5/16	120	4.7	5.9	4.4	12.9	19.0	.05	1
50045	3/8	140	5.5	6.9	5.0	15.9	22.8	.09	1
50046	7/16	150	5.9	7.4	5.2	17.3	25.4	.11	1
50047	1/2	170	6.7	8.4	5.8	20.2	29.3	.14	1
50048	9/16	180	7.1	8.9	6.1	21.6	31.2	.19	1
50050	5/8	200	7.8	9.8	6.6	24.6	34.5	.23	1
50051	11/16	210	8.2	10.3	6.9	25.9	37.3	.30	1
50052	3/4	230	9.0	11.1	7.3	28.8	40.4	.34	1
50054	13/16	250	9.8	11.7	7.7	31.7	44.2	.45	1
50055	7/8	260	10.2	12.0	7.9	33.0	46.6	.51	1
50056	15/16	280	11.0	12.7	8.3	35.8	50.1	.63	1
50057	1	290	11.4	13.0	8.5	37.3	52.8	.65	1
50058	1-1/16	310	12.2	13.6	8.9	40.2	55.9	.83	1
50059	1-1/8	330	13.0	14.2	9.3	42.8	59.8	.98	1



- Made from 31CRV3 high performance tool steel
- Precision formed for exact fit
- Soft grip body

500 Soft Grip Wrenches Metric DIN 3113A/ISO 3318 - ISO 7738

Item No.	MM	OAL	OAL	H ¹	H ²	D ¹	D ²	lbs.	pkg.
No.	mm	mm	Inch	mm	mm	mm	mm		
50004	8.0	120	4.7	5.9	4.4	12.9	19.0	.05	1
50005	9.0	130	5.1	6.4	4.7	14.5	20.9	.07	1
50006	10.0	140	5.5	6.9	5.0	15.9	22.8	.09	1
50007	11.0	150	5.9	7.4	5.2	17.3	25.4	.11	1
50008	12.0	160	6.3	7.9	5.5	18.7	26.7	.13	1
50009	13.0	170	6.7	8.4	5.8	20.2	29.3	.14	1
50011	14.0	180	7.1	8.9	6.1	21.6	31.2	.19	1
50012	15.0	190	7.5	9.3	6.3	23.1	33.0	.21	1
50013	16.0	200	7.8	9.8	6.6	24.6	34.5	.23	1
50014	17.0	210	8.2	10.3	6.9	25.4	37.3	.30	1
50015	18.0	220	8.6	10.8	7.1	27.4	38.4	.32	1
50016	19.0	230	9.0	11.1	7.3	28.8	40.4	.34	1
50017	20.0	240	9.4	11.4	7.5	30.2	42.3	.39	1
50019	22.0	260	10.2	12.0	7.9	33.0	46.6	.51	1
50027	24.0	280	11.0	12.7	8.3	35.8	50.1	.62	1



50089 15 Piece Set Inch Combination Wrenches Roll up pouch

Item No. 50089 Includes:

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8



lbs. 7.03



50095 10 Piece Set Inch Combination Wrenches Roll up pouch

Item No. 50095 - 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

lbs. 3.54



50091 12 Piece Set Inch Combination Wrenches Roll up pouch

Item No. 50091 Includes:

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"



lbs. 4.78



50087 15 Piece Set Metric Combination Wrenches Roll up pouch

Item No. 50087 Includes:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24mm



lbs. 5.16



50094 10 Piece Set Metric Combination Wrenches Roll up pouch

Item No. 50094 Includes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

lbs. 3.13




50088 12 Piece Set Metric Combination Wrenches Roll up pouch

Item No. 50088 Includes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

lbs. 3.26

SHOP NOW

Wiha Combination Wrenches



400 Combination Wrenches Inch DIN 3113A/ISO 3318 - ISO 7738

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	AF	OAL	OAL	H ¹	H ²	D ¹	D ²	lbs.	pkg.
No.	Inch	mm	Inch	mm	mm	mm	mm		
40043	1/4	100	3.9	5.0	3.9	10.1	15.7	.03	10
40044	5/16	120	4.7	5.9	4.4	12.9	19.0	.05	10
40045	3/8	140	5.5	6.9	5.0	15.9	22.8	.09	10
40046	7/16	150	5.9	7.4	5.2	17.3	25.4	.11	10
40047	1/2	170	6.7	8.4	5.8	20.2	29.3	.14	10
40048	9/16	180	7.1	8.9	6.1	21.6	31.2	.19	10
40049	19/32	190	7.5	9.3	6.3	23.1	33.0	.21	10
40050	5/8	200	7.8	9.8	6.6	24.6	34.5	.23	10
40051	11/16	210	8.2	10.3	6.9	25.9	37.3	.30	10
40052	3/4	230	9.0	11.1	7.3	28.8	40.4	.34	1
40053	25/32	240	9.4	11.4	7.5	30.2	42.3	.39	1
40054	13/16	250	9.8	11.7	7.7	31.7	44.2	.45	1
40055	7/8	260	10.2	12.0	7.9	33.0	46.6	.51	1
40056	15/16	280	11.0	12.7	8.3	35.8	50.1	.63	1
40057	1	290	11.4	13.0	8.5	37.3	52.8	.65	1
40058	1-1/16	310	12.2	13.6	8.9	40.2	55.9	.83	1
40059	1-1/8	330	13.0	14.2	9.3	42.8	59.8	.98	1
40060	1-1/4	360	14.1	15.2	9.9	47.2	66.9	1.31	1
40061	1-5/16	360	14.1	15.2	9.9	47.2	66.9	1.28	1
40062	1-3/8	400	15.7	22.8	14.1	54.6	77.5	2.56	1
40063	1-7/16	400	15.7	22.8	14.1	54.6	77.5	2.38	1
40064	1-1/2	400	15.7	22.8	14.1	54.6	77.5	2.33	1
40065	1-5/8	450	17.6	25.8	15.8	62.1	83.7	3.19	1
40066	1-3/4	500	19.6	28.8	17.5	69.6	93.1	4.44	1
40067	1-13/16	500	19.6	28.8	17.5	69.6	93.1	4.31	1
40068	2	540	21.2	31.2	18.9	75.6	102.6	5.72	1



30098 15 Piece Set Metric Economy Contractor Wrenches

Economy Chrome-vanadium contractor wrenches, polished. Import

Item No.	Metric:	lbs. 5.10
30098	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 22.0, 24.0mm	

30099 15 Piece Set Inch Economy Contractor Wrenches

Economy Chrome-vanadium contractor wrenches, polished. Import

Item No.	Inch:	lbs. 5.60
30099	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8"	



40089 15 Piece Set Inch Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In roll up pouch

Item			OAL				OAL
No.		Inch	mm		Inch		mm
40089	40043	1/4	100	40052	3/4		230
	40044	5/16	120	40054	13/16		250
lbs.	40045	3/8	140	40055	7/8		260
6.38	40046	7/16	150	40056	15/16		280
	40047	1/2	170	40057	1		290
	40048	9/16	180	40058	1-1/16		310
	40050	5/8	200	40059	1-1/8		330
	40051	11/16	210				



40091 12 Piece Set Inch Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In roll up pouch

Item				OAL		
No.		Inch	mm		Inch	mm
40091	40044	5/16	120	40051	11/16	210
	40045	3/8	140	40052	3/4	230
lbs.	40046	7/16	150	40054	13/16	250
7.50	40047	1/2	170	40055	7/8	260
	40048	9/16	180	40056	15/16	280
	40050	5/8	200	40057	1	290

Wiha Combination Wrenches



40093 7 Piece Set Inch Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	OAL		OAL	
	Inch	mm	Inch	mm
40093	40045	3/8 140	40050	5/8 200
	40046	7/16 150	40051	11/16 210
lbs. 1.60	40047	1/2 170	40052	3/4 230
	40048	9/16 180		



40095 10 Piece Set Inch Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In roll up pouch

Item No.	OAL		OAL	
	Inch	mm	Inch	mm
40095	40046	7/16 150	40052	3/4 230
	40047	1/2 170	40054	13/16 250
lbs. 7.50	40048	9/16 180	40055	7/8 260
	40050	5/8 200	40056	15/16 280
	40051	11/16 210	40057	1 290



40097 15 Piece Set Inch Combination Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item No.	OAL		OAL	
	Inch	mm	Inch	mm
40097	40044	5/16 120	40054	13/16 250
	40045	3/8 140	40055	7/8 260
	40046	7/16 150	40056	15/16 280
lbs.	40047	1/2 170	40057	1 290
11.0	40048	9/16 180	40058	1-1/16 310
	40050	5/8 200	40059	1-1/8 330
	40051	11/16 210	40060	1-1/4 360
	40052	3/4 230		




40099 26 Piece Set Inch Combination Wrenches Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item No.	OAL		OAL	
	Inch	mm	Inch	mm
40099	40043	1/4 100	40056	15/16 280
	40044	5/16 120	40057	1 290
lbs.	40045	3/8 140	40058	1-1/16 310
38.5	40046	7/16 150	40059	1-1/8 330
	40047	1/2 170	40060	1-1/4 360
	40048	9/16 180	40061	1-5/16 360
	40049	19/32 190	40062	1-3/8 400
	40050	5/8 200	40063	1-7/16 400
	40051	11/16 210	40064	1-1/2 400
	40052	3/4 230	40065	1-5/8 450
	40053	25/32 240	40066	1-3/4 500
	40054	13/16 250	40067	1-13/16 500
	40055	7/8 260	40068	2 540

SHOP NOW

Wiha Combination Wrenches



400 Combination Wrenches Metric DIN 3113A/ISO 3318 - ISO 7738

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit.

Item No.	mm	OAL mm	OAL Inch	H ¹ mm	H ² mm	D ¹ mm	D ² mm	lbs.	pkg.
40001	5.5	100	3.9	5.0	3.0	10.1	15.7	.03	10
40002	6.0	100	3.9	5.0	3.9	10.1	15.7	.03	10
40003	7.0	110	4.3	5.5	4.2	11.5	17.0	.04	10
40004	8.0	120	4.7	5.9	4.4	12.9	19.0	.05	10
40005	9.0	130	5.1	6.4	4.7	14.5	20.9	.07	10
40006	10.0	140	5.5	6.9	5.0	15.9	22.8	.09	10
40007	11.0	150	5.9	7.4	5.2	17.3	25.4	.11	10
40008	12.0	160	6.3	7.9	5.5	18.7	26.7	.13	10
40009	13.0	170	6.7	8.4	5.8	20.2	29.3	.14	10
40011	14.0	180	7.1	8.9	6.1	21.6	31.2	.19	10
40012	15.0	190	7.5	9.3	6.3	23.1	33.0	.21	10
40013	16.0	200	7.8	9.8	6.6	24.6	34.5	.23	10
40014	17.0	210	8.2	10.3	6.9	25.4	37.3	.30	10
40015	18.0	220	8.6	10.8	7.1	27.4	38.4	.32	10
40016	19.0	230	9.0	11.1	7.3	28.8	40.4	.34	10
40017	20.0	240	9.4	11.4	7.5	30.2	42.3	.39	1
40018	21.0	250	9.8	11.7	7.7	31.7	44.2	.44	1
40019	22.0	260	10.2	12.0	7.9	33.0	46.6	.51	1
40020	23.0	270	10.6	12.4	8.1	34.5	48.8	.56	1
40027	24.0	280	11.0	12.7	8.3	35.8	50.1	.62	1
40028	25.0	290	11.4	13.0	8.5	37.3	52.8	.66	1
40029	26.0	300	11.8	13.3	8.7	38.7	53.9	.74	1
40030	27.0	310	12.2	13.6	8.9	40.2	55.9	.83	1
40031	28.0	320	12.5	13.9	9.1	41.5	57.8	.88	1
40032	29.0	330	12.9	14.2	9.3	42.8	59.8	.97	1
40033	30.0	340	13.3	14.6	9.5	44.3	62.6	1.08	1
40034	32.0	360	14.1	15.2	9.9	47.2	66.9	1.30	1
40035	34.0	380	14.9	15.8	10.3	50.1	69.5	1.50	1
40036	36.0	400	15.7	22.8	14.1	54.6	77.5	2.40	1
40037	38.0	400	15.7	22.8	14.1	54.6	77.5	2.35	1
40038	41.0	450	17.6	25.8	15.8	62.1	83.7	3.19	1
40039	46.0	500	19.6	28.8	17.5	69.6	93.1	4.31	1
40040	50.0	540	21.1	31.2	18.9	75.6	102.6	5.72	1



40088 14 Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. In roll up pouch

Item		OAL		OAL	
No.		mm	mm		mm
40088	40002	6.0	100	40009	13.0
	40003	7.0	110	40011	14.0
lbs.	40004	8.0	120	40012	15.0
2.3	40005	9.0	130	40013	16.0
	40006	10.0	140	40014	17.0
	40007	11.0	150	40015	18.0
	40008	12.0	160	40016	19.0



40087 15 Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. In roll up pouch

Item		OAL				OAL
No.		mm	mm		mm	mm
40087	40004	8.0	120	40013	16.0	200
	40005	9.0	130	40014	17.0	210
lbs.	40006	10.0	140	40015	18.0	220
6.75	40007	11.0	150	40016	19.0	230
	40008	12.0	160	40017	20.0	240
	40009	13.0	170	40019	22.0	260
	40011	14.0	180	40027	24.0	280
	40012	15.0	190			



40094 10 Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. In roll up pouch

Item				OAL		
No.		mm	mm		mm	mm
 lbs. 2.85	40094	40006	10.0 140	40012	15.0	190
		40007	11.0 150	40013	16.0	200
		40008	12.0 160	40014	17.0	210
		40009	13.0 170	40015	18.0	220
		40011	14.0 180	40016	19.0	230

Wiha Combination Wrenches



40086 9 Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel.

Item No.	OAL		OAL	
	mm	mm	mm	mm
40086	40003	7.0 110	40008	12.0 160
	40004	8.0 120	40009	13.0 170
lbs. 1.3	40005	9.0 130	40011	14.0 180
	40006	10.0 140	40012	15.0 190
	40007	11.0 150		



40096 15 Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item No.	OAL		OAL	
	mm	mm	mm	mm
40096	40003	7.0 110	40012	15.0 190
	40004	8.0 120	40013	16.0 200
lbs. 6.75	40005	9.0 130	40014	17.0 210
	40006	10.0 140	40015	18.0 220
	40007	11.0 150	40016	19.0 230
	40008	12.0 160	40017	20.0 240
	40009	13.0 170	40018	21.0 250
	40011	14.0 180		



40098 18 Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box.

Item No.	OAL		OAL	
	mm	mm	mm	mm
40098	40003	7.0 110	40013	16.0 200
	40004	8.0 120	40014	17.0 210
lbs. 8.7	40005	9.0 130	40015	18.0 220
	40006	10.0 140	40016	19.0 230
	40007	11.0 150	40017	20.0 240
	40008	12.0 160	40018	21.0 250
	40009	13.0 170	40019	22.0 260
	40011	14.0 180	40020	23.0 270
	40012	15.0 190	40027	24.0 280




40092 26 Piece Set Metric Combination Wrenches

Made from 31CRV3 high performance tool steel. Satin chromed sure grip body. Precision formed for exact fit. In molded tool box

Item No.	OAL		OAL	
	mm	mm	mm	mm
40092	40002	6.0 100	40016	19.0 230
	40003	7.0 110	40017	20.0 240
lbs. 15.3	40004	8.0 120	40018	21.0 250
	40005	9.0 130	40019	22.0 260
	40006	10.0 140	40020	23.0 270
	40007	11.0 150	40027	24.0 280
	40008	12.0 160	40028	25.0 290
	40009	13.0 170	40029	26.0 300
	40011	14.0 180	40030	27.0 310
	40012	15.0 190	40031	28.0 320
	40013	16.0 200	40032	29.0 330
	40014	17.0 210	40033	30.0 340
	40015	18.0 220	40034	32.0 360

SHOP NOW


Wiha Box Wrenches



475 Box Wrenches Metric DIN 838 / ISO 10104


Satin chromed sure grip body. Made from 31CRV3 high performance forged tool steel. Precision formed for an exact fit. 12 point drive.

Item No.	 mm	 mm	OAL mm	OAL Inch	H ¹ mm	H ² mm	D ¹ mm	D ² mm	 lbs.	 pkg.
47501	5.5 x 7.0	7.0	165	6.5	5.8	6.3	10.6	12.2	.09	10
47502	6.0 x 7.0	7.0	165	6.5	5.8	6.3	10.6	12.2	.09	10
47541	7.0 x 8.0	8.0	170	6.7	6.0	6.7	12.2	13.5	.12	10
47503	8.0 x 9.0	9.0	180	7.1	6.7	7.3	13.7	15.1	.13	10
47504	10.0 x 11.0	11.0	195	7.6	7.5	8.1	16.4	17.9	.19	10
47505	12.0 x 13.0	13.0	216	8.5	8.4	9.0	19.7	20.9	.26	10
47506	14.0 x 15.0	15.0	238	9.3	9.6	10.1	22.4	25.0	.33	10
47507	16.0 x 17.0	17.0	262	10.3	10.2	10.4	25.4	27.0	.44	10
47508	18.0 x 19.0	19.0	290	11.4	10.8	11.0	27.8	29.7	.55	1
47509	20.0 x 22.0	22.0	320	12.5	11.5	12.2	31.8	34.0	.75	1
47510	21.0 x 23.0	23.0	326	12.8	11.8	12.5	32.4	35.3	.77	1
47511	24.0 x 26.0	26.0	337	13.2	12.8	13.9	37.0	41.0	.92	1
47512	25.0 x 28.0	28.0	346	13.6	13.0	14.2	29.2	43.0	1.1	1
47513	27.0 x 29.0	29.0	346	13.6	13.9	14.6	40.5	45.3	1.1	1
47514	30.0 x 32.0	32.0	360	14.1	13.9	15.5	45.5	49.0	1.3	1
47515	30.0 x 34.0	34.0	380	14.9	14.8	16.5	45.5	51.8	1.3	1
47516	36.0 x 41.0	41.0	440	17.3	18.0	19.5	53.5	60.5	2.5	1
47517	46.0 x 50.0	50.0	500	19.6	21.4	22.4	67.0	73.0	3.6	1



47590 10 Piece Set Metric Box Wrenches


Item No.	mm x mm	OAL mm	mm x mm	OAL mm
47590	47501 5.5 x 7.0	165	47506 14.0 x 15.0	238
↺	47502 6.0 x 7.0	165	47507 16.0 x 17.0	262
lbs. 3.95	47503 8.0 x 9.0	180	47508 18.0 x 19.0	290
	47504 10.0 x 11.0	195	47509 20.0 x 22.0	320
	47505 12.0 x 13.0	216	47510 21.0 x 23.0	326



475 Box Wrenches Inch DIN 838 / ISO 10104

Satin chromed sure grip body. Made from 31CRV3 high performance forged tool steel. Precision formed for an exact fit. 12 point drive.

Item		OAL	OAL	H ¹	H ²	D ¹	D ²		
No.	Inch Inch	mm	Inch	mm	mm	mm	mm	lbs.	pkg.
47518	1/4x5/16	170	6.7	6.0	6.7	12.2	13.5	.12	10
47519	5/16x3/8	180	7.1	6.7	7.5	13.7	16.4	.14	10
47520	3/8x7/16	195	7.6	7.5	8.1	16.4	17.9	.19	10
47521	7/16x1/2	216	8.5	8.4	9.0	18.3	20.9	.24	10
47522	1/2x9/16	239	9.4	9.0	9.3	20.9	22.3	.32	10
47523	9/16x5/8	239	9.4	9.3	9.7	22.3	25.0	.32	10
47524	5/8x11/16	262	10.3	10.2	10.4	25.4	27.0	.42	10
47525	5/8x3/4	290	11.4	10.2	11.0	25.4	29.7	.51	10
47526	11/16x3/4	290	11.4	10.8	11.0	27.8	29.7	.58	1
47527	3/4x25/32	290	11.4	11.0	11.4	29.7	31.8	.57	1
47528	3/4x7/8	320	12.5	11.0	12.2	29.7	34.0	.67	1
47529	13/16x7/8	320	12.5	11.5	12.2	31.8	34.0	.69	1
47530	7/8x15/16	326	12.8	12.2	12.8	34.0	37.0	.77	1
47531	15/16x1	337	13.2	12.8	13.9	37.0	41.0	.98	1
47532	1x1-1/8	346	13.6	13.0	14.2	39.2	43.0	1.1	1
47533	1-1/16x1-1/4	358	14.0	13.9	15.5	42.0	49.0	1.3	1
47534	1-1/8x1-5/16	360	14.1	14.6	15.5	45.5	50.0	1.2	1
47535	1-3/16x1-5/16	360	14.1	14.6	15.5	45.5	50.0	1.3	1
47536	1-1/4x1-3/8	412	16.2	17.0	18.2	48.2	53.5	1.8	1
47537	1-5/16x1-1/2	412	16.2	17.0	18.2	48.2	53.5	1.8	1
47538	1-7/16x1-5/8	440	17.3	18.0	19.5	53.5	60.5	2.3	1
47539	1-11/16x1-7/8	476	18.7	19.7	21.4	63.0	70.0	2.8	1
47540	1-13/16x2	500	19.6	21.4	22.4	67.0	73.0	3.4	1



47591 8 Piece Set Inch Box Wrenches

Item No.	Inch x Inch	OAL mm	mm x mm	OAL mm
47591	47518 1/4 x 5/16	170	47525 5/8 x 3/4	290
↺	47520 3/8 x 7/16	195	47526 11/16 x 3/4	290
lbs. 2.55	47521 7/16 x 1/2	216	47529 13/16 x 7/8	320
	47522 1/2 x 9/16	239		
	47523 9/16 x 5/8	239		

[SHOP NOW](#)

Water-Proof Floating Marine Tool Kit



Floating
Tool Kit

61598 51 Piece Water-Proof Professional Boat Tool Kit

Chrome-vanadium, special anti-corrosive plating. Tested to DIN Specifics. Impact resistant box will float if the box should go overboard.

Item No.

61598 Set includes the following:

1/4" Bit Sockets:

Slotted: 4.0, 5.5mm · Phillips: 1, 2

Hex Metric: 5.0, 6.0, 8.0, 10.0mm · Hex Inch: 1/4, 5/16"

1/4" Extension bar: 50mm

3/8" Slotted Bit Socket: 8.0mm

3/8" 12 Pt. Sockets:

Metric: 8.0, 10.0, 12.0, 13.0, 14.0, 16.0, 17.0, 19.0mm

Inch: 3/8, 7/16, 1/2, 9/16, 11/16"

3/8" 12 Pt. Spark Plug Socket: 20.8mm (13/16")

3/8" Spark Plug Hex Socket: 16mm (5/8")

3/8" Ratchet: 195mm

3/8" Extension Bars: 125mm, 250mm

3/8" Universal Joint: 50mm

3/8" Converter: 25mm

Adjustable Wrench: 175mm

Combination Wrenches:

Metric: 10.0, 12.0, 13.0, 16.0mm

Inch: 3/8, 7/16, 1/2, 9/16, 11/16"

Long Nose Pliers: 165mm

Cutters: 165mm

Tester: 6 - 24 Volt

Feeler Gauge: 0.10 - 0.5 mm

 Hacksaw: 150mm

lbs. Knife: 100mm

8.91 Screwdriver Handle: 90 x 20mm

Phillips & Slotted Blades: 1 x 3.5mm, 2 x 6.0mm

Extension Blade: 1/4"

1/2" Square Drive Sockets



Set Screw
Replaceable Bit

[SHOP NOW](#)

764 TORX® Sockets, 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76403	T30	59	.10	1
76404	T40	59	.10	1
76405	T45	59	.10	1
76406	T50	59	.10	1
76407	T55	59	.11	1



Set Screw
Replaceable Bit

[SHOP NOW](#)

764 Security TORX® Sockets

1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76411	T40s	59	.11	1
76412	T45s	59	.11	1
76413	T50s	59	.11	1
76414	T55s	59	.12	1



Set Screw
Replaceable Bit

[SHOP NOW](#)

764 Slotted Bit Sockets, 1/2" Square Drive

Item No.	mm	mm	lbs.	pkg.
76417	8	59	.12	1
76418	10	59	.12	1
76419	12	59	.12	1



Set Screw
Replaceable Bit

[SHOP NOW](#)

764 Phillips Bit Sockets, 1/2" Square Drive

Item No.	Size	mm	lbs.	pkg.
76422	2	59	.15	1
76423	3	59	.15	1
76424	4	59	.15	1

Wiha TORX®, TORXPlus® & Security TORX® Sockets

SHOP NOW



Set Screw
Replaceable
Bit

761 TORX® Sockets, 1/4" Square Drive

Item No.	Size	mm	lbs.
76106	T6	38	.04
76107	T7	38	.04
76109	T8	38	.04
76111	T9	38	.04
76113	T10	38	.04
76117	T15	38	.04
76119	T20	38	.04
76121	T25	38	.04
76123	T27	38	.04
76129	T30	38	.05
76131	T40	38	.05



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
76312	T9	42	.09
76314	T10	42	.09
76316	T15	42	.09
76318	T20	42	.09
76322	T25	42	.09
76324	T27	42	.09
76326	T30	42	.09
76328	T40	42	.09



763 TORX® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 5/16" Bit. 2" OAL

Item No.	Size	mm	lbs.
76346	T40	51	.11
76348	T45	51	.11
76352	T50	51	.11
76354	T55	51	.13

SHOP NOW



716 TORXPlus® Sockets, 1/4" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
71661	IP6	38	.04
71662	IP7	38	.04
71663	IP8	38	.04
71664	IP9	38	.04
71665	IP10	38	.04
71666	IP15	38	.04
71667	IP20	38	.04
71668	IP25	38	.04
71669	IP27	38	.04
71670	IP30	38	.04
71671	IP40	38	.04



716 TORXPlus® Sockets, 3/8" Square Drive, Set Screw Replaceable Bit 1/4" Bits

Item No.	Size	mm	lbs.
71673	IP9	42	.09
71674	IP10	42	.09
71675	IP15	42	.09
71676	IP20	42	.09
71677	IP25	42	.09
71678	IP27	42	.09
71680	IP30	42	.09
71681	IP40	42	.09

SHOP NOW



Set Screw
Replaceable
Bit

763 Security TORX® Sockets

3/8" Square drive, 5/16" bits.

Item No.	Size	mm	lbs.
76339	T40s	51	.11
76340	T45s	51	.11
76341	T50s	51	.11
76342	T55s	51	.13



Set Screw
Replaceable
Bit

763 Security TORX® Sockets

1/4" Square drive, 1/4" bits.

Item No.	Size	mm	lbs.
76329	T7s	38	.04
76330	T8s	38	.04
76331	T9s	38	.04
76332	T10s	38	.04
76333	T15s	38	.04
76334	T20s	38	.04
76335	T25s	38	.04
76336	T27s	38	.04
76337	T30s	38	.05
76338	T40s	38	.05



Set Screw
Replaceable
Bit

701 Security TORX® Sockets

3/8" Square drive, 1/4" bits. 2" OAL

Item No.	Size	mm	lbs.
70107	T7s	42	.09
70108	T8s	42	.09
70109	T9s	42	.09
70110	T10s	42	.09
70113	T15s	42	.09
70115	T20s	42	.09
70117	T25s	42	.09
70119	T27s	42	.09
70121	T30s	42	.09
70123	T40s	42	.09

Wiha Sockets



713 Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71371	1/16	38	.05
71370	5/64	38	.05
71372	3/32	38	.05
71374	7/64	38	.05
71376	1/8	38	.05
71378	9/64	38	.05
71380	5/32	38	.05
71382	3/16	38	.05
71384	7/32	38	.05
71386	1/4	38	.05



713 Hex Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM tool steel.

Item			
No.	Inch	mm	lbs.
71375	1/8	42	.09
71377	9/64	42	.09
71379	5/32	42	.09
71381	3/16	42	.09
71383	7/32	42	.09
71385	1/4	42	.09
71388	5/16	42	.10
71390	3/8	42	.10



713 Hex Metric Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71301	1.5	38	.04
71302	2.0	38	.04
71305	2.5	38	.04
71313	3.0	38	.04
71314	4.0	38	.04
71317	5.0	38	.05
71319	6.0	38	.05
71327	8.0	38	.05
71340	10.0	38	.05



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71300	2.0	42	.09
71316	2.5	42	.09
71341	3.0	42	.09
71331	4.0	42	.09
71323	5.0	42	.09
71325	6.0	42	.09
71320	8.0	42	.10
71322	10.0	42	.11



713 Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 5/16" bits CVM steel.

Item			
No.	mm	mm	lbs.
71332	12.0	75	.22



761 Security Hex Inch Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09



761 Security Hex Metric Sockets 3/8" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09



717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	Inch	mm	lbs.
71761	3/32	38	.09
71762	7/64	38	.09
71763	1/8	38	.09
71764	9/64	38	.09
71765	5/32	38	.09
71766	3/16	38	.09
71767	7/32	38	.09
71768	1/4	38	.09



717 Ball End Hex Sockets 1/4" Square drive socket. Replaceable bit. 1/4" bits CVM steel.

Item			
No.	mm	mm	lbs.
71771	1.5	38	.09
71772	2.0	38	.09
71773	2.5	38	.09
71774	3.0	38	.09
71775	4.0	38	.09
71776	5.0	38	.09
71777	6.0	38	.09



SHOP NOW

720 Impact Bit Holding Socket With Retaining Ring For 1/4" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72001	1/4	25	1/4"	.05
72002	1/4	30	3/8"	.10
72003	1/4	35	1/2"	.21

72090 3 Piece Bit Holding Socket Set for use with 1/4" Insert bits

Drive: 1/4", 3/8", 1/2" wt. .40



720 Impact Bit Holding Socket With Retaining Ring For 5/16" drive bits.

Item				
No.	Bit	mm	Drive	lbs.
72004	5/16	25	1/4"	.04
72005	5/16	30	3/8"	.04
72006	5/16	35	1/2"	.04

[SHOP NOW](#)

Wiha Long Blade Sockets & Sets



771 Hex Inch Sockets

1/4" Drive 6" Long Bit Socket

Item				
No.	Size	Inch	lbs.	
77128	3/32	6	.12	
77130	7/64	6	.12	
77132	1/8	6	.12	
77134	9/64	6	.12	
77136	5/32	6	.12	
77138	3/16	6	.12	
77139	7/32	6	.12	
77141	1/4	6	.12	

77191 8 Piece Hex Inch Socket Blade Set

Inch: 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"  wt. .97


771 Hex Inch Sockets

3/8" Drive 6" Long Bit Socket

Item				
No.	Size	Inch	lbs.	
77165	3/32	6	.18	
77167	7/64	6	.18	
77169	1/8	6	.18	
77171	9/64	6	.18	
77173	5/32	6	.18	
77175	3/16	6	.18	
77177	7/32	6	.18	
77179	1/4	6	.18	



771 Hex Metric Sockets

1/4" Drive 6" Long Bit Socket

Item				
No.	Size	Inch	lbs.	
77140	2.5	6	.13	
77142	3.0	6	.13	
77144	4.0	6	.13	
77146	5.0	6	.13	
77148	6.0	6	.13	

77192 5 Pc. Hex Metric Socket Blade Set

Metric: 2.5, 3.0, 4.0, 5.0, 6.0mm

 lbs. .70


771 TORX® Sockets

1/4" Drive 6" Long Bit Socket

Item				
No.	Size	Inch	lbs.	
77151	T8	6	.12	
77153	T9	6	.12	
77152	T10	6	.12	
77154	T15	6	.12	
77156	T20	6	.12	
77158	T25	6	.12	
77160	T27	6	.13	
77162	T30	6	.13	
77164	T40	6	.13	

77193 7 Piece TORX® Socket Blade Set

TORX®: T10, T15, T20, T25,

T27, T30, T40  wt. .87


771 TORX® Sockets

3/8" Drive 6" Long Bit Socket

Item				
No.	Size	Inch	lbs.	
77101	T8	6	.12	
77103	T9	6	.12	
77105	T10	6	.12	
77107	T15	6	.12	
77109	T20	6	.12	
77111	T25	6	.12	
77113	T27	6	.12	
77115	T30	6	.12	
77117	T40	6	.12	

77195 9 Piece TORX® Socket Blade Set

TORX®: T8, T9, T10, T15, T20, T25,

T27, T30, T40  wt. 1.08


77198 22 Piece Hex & TORX® Long Blade Socket Set, 1/4" Drive

Inch Hex: 3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"

Metric Hex: 2.5, 3.0, 4.0, 5.0, 6.0mm

TORX®: T8, T9, T10, T15, T20, T25,

T27, T30, T40

 lbs. 2.82

[SHOP NOW](#)

Wiha External Sockets


[SHOP NOW](#)

721 Hex To Square 1/4" socket bit adapter.

Item				
No.	Size	mm	Drive	lbs.
72110	1/4"	25	1/4"	.03
72115	1/4"	30	3/8"	.05



724 Tool Shaft

1/4" drive socket power adapter.

Item				
No.	Drive	mm	Drive	lbs.
72401	1/4"	100	1/4"	.09
72405	1/4"	50	1/4"	.03
72410	1/4"	100	3/8"	.17
72415	1/4"	50	3/8"	.06



773 TORX® External Sockets

1/4" Square drive socket.

Item				
No.	Size	mm	lbs.	
77304	E4	25	.03	
77305	E5	25	.03	
77306	E6	25	.03	
77307	E7	25	.04	
77308	E8	25	.04	
77310	E10	25	.04	

773 TORX® External Sockets

3/8" Square drive socket.

Item				
No.	Size	mm	lbs.	
77331	E8	28	.07	
77333	E10	28	.07	
77335	E12	28	.07	
77337	E14	28	.08	



773 TORX® External Sockets

1/2" Square drive socket.

Item				
No.	Size	mm	lbs.	
77341	E12	37	.12	
77343	E14	37	.12	
77345	E16	37	.14	
77347	E18	37	.14	
77349	E20	37	.15	
77353	E24	40	.24	

Wiha Socket Sets On Molded Rails



76191 10 pc. TORX® Socket Set 1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.

76191 lbs. Set includes the following:
 .49 T7, T8, T9, T10, T15, T20, T25, T27, T30, T40



76194 6 pc. TORX® Socket Set 1/4" Square Drive Replaceable Bit Socket. Bits CVM tool steel.

Item No.

76194 lbs. Set includes the following:
 .20 T10, T15, T20, T25, T27, T30



76395 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. Bits CVM tool steel. OAL 1.5"

Item No.

76395 lbs. Set includes the following:
 .75 T9, T10, T15, T20, T25, T27, T30, T40



76396 8 pc. TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel. OAL 1.65"

Item No.

76396 lbs. Set includes the following:
 .87 1/4": T20, T25, T27, T30, T40
 5/16": T45, T50, T55

Wiha E-TORX® Socket Set On Molded Rail



77391 8 Piece E-TORX® Socket Set

Item No. Set includes the following:

77391 lbs. 1/4" drive: E6, E7, E8, E10
 .62 3/8" drive: E12, E14
 1/2" drive: E16, E18


Security Torx®



70195 10 pc. Security TORX® Socket Set 1/4" Square drive replaceable bit socket. 1/4" Bits CVM tool steel.

Item No.


70195 lbs. Set includes the following:
 .48 T7s, T8s, T9s, T10s, T15s,
 T20s, T25s, T27s, T30s, T40s



76397 9 pc. Security TORX® Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.


76397 lbs. Set includes the following:
 .85 1/4": T10s, T15s, T20s, T27s, T30s
 3/8": T40s (1/4" bit)
 3/8": T45s, T50s (5/16" bit)



76399 12 pc. Security TORX® Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" & 5/16" Bits CVM tool steel.

Item No.

76399 lbs. Set includes the following:
 .80 1/4": T7s, T8s, T10s, T15s, T20s, T25s, T27s, T30s, T40s
 5/16": T45s, T50s, T55s




71698 8 pc. TORXPlus® Socket Set On Rail, In Vinyl Pouch 1/4" & 3/8" Square Drive Replaceable Bit Socket. Bits Chrome-vanadium-molybdenum tool steel.

Item No.

71698 lbs. Set includes the following:
 .60 1/4": IP9, IP10, IP15, IP20
 3/8": IP25, IP27, IP30, IP40

SHOP NOW


Wiha Socket Sets On Molded Rails



71391 10 Piece Hex Inch Socket Set 1/4" Square drive replaceable bit socket. Bits CVM tool steel. OAL 1.5"

Item No. 

71391	lbs.	Set includes the following:
.48		1/16, 5/64, 3/32, 7/64, 1/8
		9/64, 5/32, 3/16, 7/32, 1/4"



71798 8 Piece Ball End Hex Inch Socket Set 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 


71798	lbs.	Set includes the following:
.72		3/32, 7/64, 1/8, 9/64, 5/32,
		3/16, 7/32, 1/4"



71398 7 Piece Ball End Hex Inch Socket Set 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No.

71398	 lbs.	Set includes the following:
	.48	3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71797 7 Piece Ball End Hex Metric Socket Set 1/4" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

71797	lbs.	Set includes the following:
.72		Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm



71392 8 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. 


71392	lbs.	Set includes the following:
.78		1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



71393 5 Piece Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits Chrome-vanadium-molybdenum tool steel.

Item No. 


71393	lbs.	Set includes the following:
.54		Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"



71394 5 Piece Hex Metric Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

71394	lbs.	Set includes the following:
.56		Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm



71996 9 Piece Hex Metric Socket Set 1/4" & 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel. OAL 1.65"

Item No. 

71996	lbs.	Set includes the following:
.66		1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm
		3/8": 5.0, 6.0, 8.0, 10.0mm



71999 9 Piece Tamper Resistant Hex Inch Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

71999	lbs.	Set includes the following:
.86		Tamper Resistant Hex Inch: 5/64, 3/32, 7/64,
		1/8, 9/64, 5/32, 3/16, 7/32, 1/4"



71989 7 Piece Tamper Resistant Hex Metric Socket Set 3/8" Square Drive Replaceable Bit Socket. 1/4" Bits CVM tool steel.

Item No. 

71989	lbs.	Set includes the following:
.74		Tamper Resistant Hex Metric:
		2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Wiha 1/4" Sockets & Sets



601 1/4" Sockets - 6 Points

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60115	4.0	25	.02
60116	4.5	25	.02
60117	5.0	25	.02
60118	5.5	25	.02
60119	6.0	25	.02
60120	7.0	25	.02
60121	8.0	25	.02
60122	9.0	25	.03
60123	10.0	25	.03
60124	11.0	25	.03
60125	12.0	25	.04
60126	13.0	25	.04
60127	14.0	25	.04



601 1/4" Sockets - 6 Points

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60101	1/8	.98	.02
60102	5/32	.98	.02
60103	3/16	.98	.02
60104	7/32	.98	.02
60105	1/4	.98	.02
60106	9/32	.98	.02
60107	5/16	.98	.02
60108	11/32	.98	.03
60109	3/8	.98	.03
60110	7/16	.98	.03
60111	1/2	.98	.04
60112	9/16	.98	.05



60190 17 Piece 6 Point Socket Set - Metric

1/4" Square Drive Hex Metric Socket. Chrome-vanadium sockets.

Item No. 60190 Set includes the following:

4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0,

9.0, 10.0, 11.0, 12.0, 13.0mm

60145 1/4" Rev. Ratchet Varicat 32 tooth - 140mm

60131 1/4" Sliding T-handle - 115mm

60133 1/4" Extension Bar - 100mm

60136 1/4" Universal Joint - 35mm

60139 1/4" Spinner Handle - 145mm



60192 12 Pc. 1/4" Sockets 6 Point - Metric 1/4" Square Drive Socket.

Item No. 60192 Set includes the following:

1/4" Hex Metric: 4.0, 4.5, 5.0, 5.5, 6.0,

7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0mm



60191 17 Piece 6 Point Socket Set - Inch

1/4" Square Drive Hex Inch Socket. Chrome-vanadium sockets.

Item No. 60191 Set includes the following:

1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16,

11/32, 3/8, 7/16, 1/2, 9/16"

60145 1/4" Rev. Ratchet Varicat 32 tooth - 5.5"

60131 1/4" Sliding T-handle - 14.5"

60133 1/4" Extension Bar - 3.9"

60136 1/4" Universal Joint - 1.4"

60139 1/4" Spinner Handle - 5.7"



60193 12 Pc. 1/4" Sockets 6 Point - Inch 1/4" Square Drive Socket.

Item No. 60193 Set includes the following:

1/4" Hex Inch: 1/8, 5/32, 3/16, 7/32, 1/4, 9/32,

5/16, 11/32, 3/8, 7/16, 1/2, 9/16"

SHOP NOW

Wiha 1/4" Socket Accessories



60145 1/4" Reversible Ratchet Varicat - 32 Tooth

DIN 3122 D - ISO 3315

Forged body, satin finish, nickel and hard chrome.

Item			
No.	Inch	mm	wt.
60145	5.5	140	.18



60146 1/4" Reversing Ratchet - 20 Tooth, Push Through Type

20 tooth ratchet. DIN 3122 C - ISO 3315

Forged ratchet body, satin finish, nickel and hard chrome.

Item			
No.	Inch	mm	wt.
60146	6.0	150	.18



60131 1/4" Sliding T-handle

DIN 3122 A - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60131	4.5	114	.09



601 1/4" Extension Bar

DIN 3123 B - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	w
60132	2.17	50	.0
60133	3.93	100	.1
60134	5.90	150	.1



60135 1/4" Wobble Extension Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60135	3.93	100	.10



60136 1/4" Universal Joint Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60136	1.4	35	.05



60137 1/4" Swivel Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60137	6.10	155	.25



60138 1/4" Spinner Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60138	6.10	155	.25



60139 1/4" Flexible Extension Hard chrome finish.

Item			
No.	Inch	mm	wt.
60139	4.72	120	.11



60140 1/4" Converter To 3/8" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60140	1.06	27	.04



60141 1/4" Square Coupler Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60141	.79	20	.01

Wiha 3/8" Sockets & Sets

METRIC



602 3/8" Sockets - 12 Point - Metric

Hard chrome finish, fully polished with ball retaining groove.

Item No.			
	mm	mm	wt.
60227	6.0	25.5	.02
60228	7.0	25.5	.02
60229	8.0	25.5	.02
60230	9.0	25.5	.03
60231	10.0	25.5	.03
60232	11.0	25.5	.03
60233	12.0	25.5	.04
60234	13.0	25.5	.04
60235	14.0	26	.04
60236	15.0	27	.04
60237	16.0	27	.04
60238	17.0	27	.04
60239	18.0	27	.04
60240	19.0	29	.04
60241	20.0	29	.04
60242	21.0	29	.04
60243	22.0	31	.04



60292 24 Piece 12 Point Socket Set - Metric

Hard chrome finish, fully polished with ball retaining groove.

Item No.	
60292	Set includes the following:
	6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0
	3/8" Slotted Screwdriver Bit Socket
	60266- 3/8" Rev. Ratchet Varicat - 200mm - 32 tooth
	60248- 3/8" Speed Brace - 300mm
lbs.	60250- 3/8" Sliding T-handle - 200mm
5.48	60251- 3/8" Extension Bar - 125mm
	60255- 3/8" Extension Bar - 250mm
	60257- 3/8" Universal Joint - 50mm



60294 15 Piece 12 Point Socket Set - Metric

Hard chrome finish, fully polished with ball retaining groove.

Item No.	
60294	Set includes the following:
	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm
lbs.	
2.85	60266- 3/8" Rev. Ratchet Varicat - 200mm - 32 tooth
	60251- 3/8" Extension Bar - 125mm
	60257- 3/8" Universal Joint - 50mm

Wiha 3/8" Drive Socket Sets On Rails



60296 12 Piece 3/8" Sockets 12 Point - Metric

3/8" Square Drive Socket.

Item No.	
60296	Set includes the following:
lbs.	3/8" Hex Metric: 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0mm
1.02	

SHOP NOW

Wiha 3/8" Sockets & Sets

INCH



602 3/8" Sockets - 12 Point - Inch

Hard chrome finish, fully polished with ball retaining groove.

Item No.	Inch	Inch	wt.
60210	1/4	1.00	.02
60211	9/32	1.00	.02
60212	5/16	1.00	.02
60213	11/32	1.00	.02
60214	3/8	1.00	.02
60215	7/16	1.00	.02
60216	1/2	1.00	.02
60217	9/16	1.04	.03
60218	19/32	1.06	.03
60219	5/8	1.06	.03
60220	21/32	1.06	.04
60221	11/16	1.06	.05
60222	3/4	1.14	.05
60223	25/32	1.14	.05
60224	13/16	1.14	.05
60225	7/8	1.22	.05



60293 23 Piece 12 Point Socket Set - Inch

Hard chrome finish, fully polished with ball retaining groove.

Item No.

60293

Set includes the following:

1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32,

5/8, 21/32, 11/16, 3/4, 25/32, 13/16, 7/8"

3/8" Slotted Screwdriver Bit Socket

60266- 3/8" Rev. Ratchet Varicat - 7.9" - 32 tooth



60248- 3/8" Speed Brace - 11.8"

lbs.

60250- 3/8" Sliding T-handle - 7.9"

5.34

60251- 3/8" Extension Bar - 4.9"

60255- 3/8" Extension Bar - 9.8"

60257- 3/8" Universal Joint - 2.0"



60295 15 Piece 12 Point Socket Set - Inch

Hard chrome finish, fully polished with ball retaining groove.

Item No.

60295

Set includes the following:



1/4, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 19/32,

lbs.

5/8, 21/32, 11/16, 3/4"

3.11

60266- 3/8" Rev. Ratchet Varicat - 7.9" - 32 tooth

60251- 3/8" Extension Bar - 4.9"

60257- 3/8" Universal Joint - 2.0"

Wiha 3/8" Drive Socket Sets On Rails



60297 12 Piece 3/8" Sockets 12 Point - Inch

3/8" Square Drive Socket.

Item No.

60297



Set includes the following:

lbs.

3/8" Hex Inch: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16,

.96

1/2, 9/16, 19/32, 5/8, 11/16, 3/4"

Wiha 3/8" Socket Accessories



60265 3/8" Reversible Ratchet

45 tooth ratchet. DIN 3122 D - ISO 3315
 hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60265	7.8	198	.63



60266 3/8" Reversible Ratchet Varicat

32 tooth ratchet. DIN 3122 D - ISO 3315
 Forged ratchet body, satin finish, nickel and hard chrome finish.
 Spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60266	7.9	200	.54



60267 3/8" Ratchet Push-Thru Type

30 tooth. DIN 3122 C - ISO 3315
 hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60267	7.9	200	.54



60268 3/8" Flexible Head Reversible Ratchet

60 tooth ratchet.
 hard chrome finish, polished head.

Item			
No.	Inch	mm	wt.
60268	10.04	255	.73



60249 3/8" Reversible Ratchet Unit

60 tooth ratchet. DIN 3122 A - ISO 3315
 Hard chrome finish, satin finish with spring-loaded retaining ball.


Item			
No.	Inch	mm	wt.
60249	1.97	50	.48



602 3/8" Extension Bar

DIN 3123 B - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60252	2.95	75	.14
60251	4.92	125	.20
60255	9.84	250	.38



602 3/8" Wobble Extension

Hard chrome finish, fully polished with spring-loaded retaining ball.


Item			
No.	Inch	mm	wt.
60253	2.95	75	.13
60254	5.91	150	.23
60256	9.84	250	.36



60248 3/8" Speed Brace

DIN 3122 B - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball.


Item			
No.	Inch	mm	wt.
60248	11.97	304	.57



60250 3/8" Sliding T-handle

DIN 3122 A - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60250	7.9	200	.35

[SHOP NOW](#)

Wiha 3/8" Socket Accessories



60257 3/8" Universal Joint Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60257	1.97	50	.13



60258 3/8" Swivel Handle Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60258	8.82	224	.47



60259 3/8" Converter To 1/4" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60259	.98	25	.07



60260 3/8" Converter To 1/2" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60260	1.38	35	.11



60261 3/8" Square Coupler Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60261	.98	25	.03

[SHOP NOW](#)

Wiha 3/8" Spark Plug Sockets



60262 Spark Plug Socket DIN 3124 / ISO 2725

Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 12 point

Item					
No.	Inch	mm	mm	Inch	wt.
60262	13/16"	20.6	65	2.6	.39

60263 Spark Plug Socket DIN 3124 / ISO 2725

Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 12 point

Item				
No.	mm	mm	Inch	wt.
60263	18	65	2.6	.28



60264 Spark Plug Socket DIN 3124 / ISO 2725

Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 3/8" Drive. 6 point

Item					
No.	Inch	mm	mm	Inch	wt.
60264	5/8"	16	65	2.6	.25

Wiha 1/2" Sockets & Sets



603 1/2" Sockets Metric - 12 Point

Hard chrome finish, fully polished with ball retaining groove.

Item No.	mm	mm	wt.
60321	8.0	40	.12
60322	9.0	40	.12
60323	10.0	40	.12
60324	11.0	40	.12
60325	12.0	40	.12
60326	13.0	40	.13
60327	14.0	40	.13
60328	15.0	40	.15
60329	16.0	40	.15
60330	17.0	40	.15
60331	18.0	40	.16
60332	19.0	40	.16
60333	20.0	40	.17
60334	21.0	40	.17
60335	22.0	40	.19
60336	23.0	43	.23
60337	24.0	43	.24
60338	25.0	43	.29
60339	26.0	43	.30
60340	27.0	43	.32
60341	28.0	43	.34
60342	29.0	43	.40
60343	30.0	43	.36
60344	32.0	43	.40
60345	33.0	43	.40
60346	34.0	43	.42



60396 24 Piece 12 Point Socket Set - Metric

1/2" Square Drive Hex Metric Socket. Chrome-vanadium sockets.

Item No.

60396

Set includes the following:

12, 13, 14, 15, 16, 17, 18, 19, 20,

21, 22, 23, 24, 26, 27, 28, 30, 32mm

60676- 1/2" Rev. Ratchet Varicat 32 tooth - 275mm



60350- 1/2" Speed Brace - 405mm

lbs.

60352- 1/2" Sliding T-handle - 300mm

11.9

60353- 1/2" Extension Bar - 125mm

60357- 1/2" Extension Bar - 250mm

60359- 1/2" Universal Joint - 80mm

Wiha 1/2" Drive Socket Sets On Rails



60393 12 Piece 1/2" Sockets 12 Point Metric

1/2" Square Drive Socket.

Item No.



60393

lbs.

Set includes the following:

2.09

1/2" Hex Metric: 10.0, 11.0, 12.0, 13.0, 14.0, 15.0

16.0, 17.0, 18.0, 19.0, 20.0, 22.0mm

SHOP NOW

Wiha 1/2" Sockets & Sets



603 1/2" Sockets Inch - 12 Point

Hard chrome finish, fully polished with ball retaining groove.

No.	Inch	Inch	wt.
60301	3/8	1.57	.12
60302	7/16	1.57	.12
60303	1/2	1.57	.13
60304	9/16	1.57	.13
60305	19/32	1.57	.15
60306	5/8	1.57	.15
60307	11/16	1.57	.16
60308	3/4	1.57	.16
60309	25/32	1.57	.18
60310	13/16	1.57	.17
60311	7/8	1.57	.19
60312	15/16	1.69	.24
60313	31/32	1.69	.28
60314	1	1.69	.30
60315	1-1/16	1.69	.32
60316	1-1/8	1.69	.36
60317	1-3/16	1.69	.37
60318	1-1/4	1.69	.39



60397 24 Piece 12 Point Socket Set - Inch

1/2" Square Drive Hex Inch Socket. Chrome-vanadium sockets.

Item No.

60397 Set includes the following:

3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32

13/16, 7/8, 15/16, 31/32, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

60676- 1/2" Rev. Ratchet Varicat 32 tooth - 10.8"

60350- 1/2" Speed Brace - 15.9"

60352- 1/2" Sliding T-handle - 11.8"

60353- 1/2" Extension Bar - 4.9"

60357- 1/2" Extension Bar - 9.8"

60359- 1/2" Universal Joint - 3.1"

Wiha 1/2" Drive Socket Sets On Rails



60395 12 Piece 1/2" Sockets 12 Point Inch

1/2" Square Drive Socket.

Item No.

60395 Set includes the following:

1/2" Hex Inch: 3/8, 7/16, 1/2, 9/16, 19/32, 5/8,


11/16, 3/4, 13/16, 7/8, 15/16, 1"

Wiha 1/2" Socket Accessories



60375 1/2" Reversible Ratchet

45 tooth ratchet. DIN 3122 D - ISO 3315
 hard chrome finish, polished head.

Item				
No.	Inch	mm	wt.	
60375	10.6	270	1.1	



60376 1/2" Reversible Ratchet Varicat

32 tooth ratchet. DIN 3122 D - ISO 3315
 Forged ratchet body, satin finish, nickel and hard chrome finish.
 Spring-loaded retaining ball.

Item				
No.	Inch	mm	wt.	
60376	10.8	275	1.2	



60377 1/2" Ratchet - Push-thru type

30 tooth. DIN 3122 C - ISO 3315
 hard chrome finish, polished head.

Item				
No.	Inch	mm	wt.	
60377	10.6	270	1.1	



60378 1/2" Drive Flexible Head Reversible Ratchet

Gears with 60 teeth.
 hard chrome finish, polished head.

Item					
No.	Inch	mm	wt.	Pkg.	
60378	11.2	285	1.2	5	



60379 1/2" Flexible Head Reversible Ratchet Long

60 tooth ratchet.
 hard chrome finish, polished head.


Item				
No.	Inch	mm	wt.	
60379	15.5	395	1.6	



Provides ratcheting feature for non ratcheting tools. Use with, extension bars, speed brace, sliding T-handle and swivel handle.

60351 1/2" Reversible Ratchet Unit

60 tooth ratchet. DIN 3122 A - ISO 3315
 Hard chrome finish, satin finish with spring-loaded retaining ball.

Item				
No.	Inch	mm	wt.	
60351	2.17	55	.49	




60364 1/2" Converter To 3/8" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	mm		wt.	
60364	36		.11	



60365 1/2" Converter To 3/4" Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	mm		wt.	
60365	45		.26	



60366 1/2" Square Coupler Hard chrome finish, fully polished with spring-loaded retaining ball.

Item				
No.	mm		wt.	
60366	34		.10	

SHOP NOW

Wiha 1/2" Socket Accessories



60350 1/2" Speed Brace

DIN 3122 B - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball

Item			
No.	Inch	mm	wt.
60350	15.9	405	1.3



60352 1/2" Sliding T-handle

DIN 3122 A - ISO 3315

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60352	11.8	300	.88



603 1/2" Swivel Handle

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60360	250	1.0
60361	375	1.5
60362	450	2.1



60363 1/2" Offset Handle

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item		
No.	mm	wt.
60363	200	.59




603 1/2" Extension Bar

DIN 3123 B - ISO 3316

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60354	2.95	75	.30
60353	4.92	125	.40
60357	9.84	250	.72



603 1/2" Wobble Extension

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60355	1.97	50	.20
60356	4.92	125	.40
60358	9.84	250	.72



60359 1/2" Universal Joint

Hard chrome finish, fully polished with spring-loaded retaining ball.

Item			
No.	Inch	mm	wt.
60359	3.15	80	.35

Wiha 1/2" Spark Plug Sockets



60370 Spark Plug Socket DIN 3124 / ISO 2725

Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 1/2" Drive

Item				
No.	Inch	mm	mm	wt.
60370	13/16"	20.8	80	.31

60371 Spark Plug Socket DIN 3124 / ISO 2725

Hard chrome finish, head polished extra deep. Ball retaining groove with rubber insert. 19mm hexagon plug. 1/2" Drive

Item				
No.	Inch	mm	mm	wt.
60371	5/8"	16	80	.28

Notes:

SHOP NOW

Wiha Universal Socket Rail System



91095 Universal Rail For 1/4, 3/8 and 1/2" Sockets

Select any combination of socket drive sizes. Socket snaps firmly into place for a secure hold. Clips required.

Item			
No.	lbs.	pkg.	lbs.
91095	.057	1	.06



91110 Replacement 1/4" Clips For The Universal Socket Rail

Package of 10 pieces.

Item No.	 lbs.
91110	.03



91112 Replacement 3/8" Clips For The Universal Socket Rail

Package of 10 pieces.

Item No.	 lbs.
91112	.03



91114 Replacement 1/2" Clips For The Universal Socket Rail

Package of 10 pieces.

Item No.		lbs.
91114		.05

SHOP NOW

Wiha Universal Razor Edged Scraper



SoftFinish
"Cushion" Grip

43090 Universal Razor Edged Scraper, With Wiha-SoftFinish®

Handle Removes sealing material, glue residue, layers of film and labels. Includes item #43092 - 10 replacement blades.

Item				
No.	mm	Inch	lbs.	pkg.
43090	170	6.7	.22	1

43040 Universal Razor Edged Scraper, With Wiha-SoftFinish®

Handle Removes sealing material, glue residue, layers of film and labels. Handle only.

Item				
No.	mm	Inch	lbs.	pkg.
43040	140	5.5	.15	10

43092 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades. Standard.

Item No.	lbs.
43092	.07



43093 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades. Standard.

Item No.	lbs.
43093	.07



43094 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43094	.07



43095 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43095	.07



43096 Replacement Blades for Universal Razor Edged Scraper

Package of 10 blades.

Item No.	lbs.
43096	.07



43097 Replacement Blades for Universal Razor Edged Scraper

Combo Pack. Package of 10 blades - 2 of each blade.

Item No.	lbs.
43097	.07

SHOP NOW

Wiha Awls Screwdrivers



30002 Square Reaming Awl, With Plastic Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Round handle cellulose-acetate, impact resistant.

Item							
No.	mm	Inch	mm	Inch	mm	Inch	lbs. pkg.
30002	6.0	.236	100	3.9	185	7.3	.15 10



30102 Round Awl, With Plastic Handle

Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Plastic handle cellulose-acetate, impact resistant.

Item							
No.	mm	Inch	mm	Inch	mm	Inch	lbs. pkg.
30102	6.0	.236	100	4.0	185	7.3	.15 10

Wiha Gasket Scraper




43020 Extra Heavy Duty Gasket Scraper 1" wide scraper for

removing sealers and other gasket materials hardened and tempered tool steel with hard chrome finish.

Item						
No.	mm	Inch	mm	Inch	lbs.	pkg.
43020	150	5.9	260	10.2	.45	10

Precision Machined Metric Punches

Metric



Hardened
tool steel for
optimum
long life
performance

Painted
finished
bodies



124 Heavy Duty Solid Tapered Metric Punches

Hardened tool steel punches, precision machined to exact tolerances.
Heavy duty hex shanks, hardened for optimum long life performance.

Item No.	Tip mm	Tip Inch Dia.	Shaft Diameter mm	lbs.	pkg.
12411	1	.04	10	.17	10
12412	2	.08	10	.17	10
12413	3	.12	10	.17	10
12414	4	.16	10	.17	10
12415	5	.20	10	.17	10
12416	6	.24	10	.18	10
12419	7	.28	12	.25	10
12420	8	.32	12	.25	10
12421	9	.35	12	.25	10
12422	10	.39	12	.25	10
12423	12	.47	14	.39	10
12424	14	.55	16	.60	10
12425	16	.63	18	.76	10
12426	18	.71	20	.96	10



12490 8 Piece Set Metric Taper Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item No.	Set Includes:	lbs.	pkg.
12490	1, 2, 3, 4, 5, 6, 7, 8mm	1.4	1



12492 14 Piece Set Metric Taper Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item No.	Set Includes:	lbs.	pkg.
12492	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18mm	5.1	1



234 Heavy Duty Solid Metric Parallel Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.
Heavy duty hex shanks, hardened for optimum long life performance.

Item No.	Tip mm	Tip Inch Dia.	Shaft Diameter mm	lbs.	pkg.
23420	2	.08	10	.19	10
23421	2.5	.10	10	.13	10
23422	3	.12	10	.18	10
23423	3.5	.14	10	.18	10
23424	4	.16	10	.17	10
23425	4.5	.18	10	.17	10
23426	5	.20	10	.18	10
23427	6	.24	10	.15	10
23428	7	.28	10	.18	10
23429	8	.32	10	.18	10
23432	9	.35	12	.150	.24 10
23433	10	.39	12	.150	.25 10
23434	12	.47	14	.150	.40 10
23435	14	.55	16	.175	.55 10
23436	16	.63	18	.200	.82 10
23437	18	.71	20	.200	.95 10
23438	20	.79	22	.250	1.56 10



23490 8 Piece Set Metric Parallel Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item No.	Set Includes:	lbs.	pkg.
23490	2, 2.5, 3, 3.5, 4, 4.5, 5, 6mm	1.3	1

23491 15 Piece Set Metric Parallel Pin Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item No.	Set Includes:	lbs.	pkg.
23491	3, 3.5, 4, 4.5, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20mm	5.6	1



124 Heavy Duty Solid Tapered Metric Center Punches

Hardened tool steel punches, precision machined to exact tolerances.
Heavy duty hex shanks, hardened for optimum long life performance.
Painted finished bodies.

Item No.	Tip mm	Tip Inch Dia.	Shaft Diameter mm	lbs.	pkg.
12436	4	.16	10	.14	10
12437	5	.20	12	.20	10
12438	5	.20	12	.26	10
12439	6	.24	14	.35	10

12491 3 Piece Set Metric Taper Center Punches

Hardened tool steel punches, precision machined to exact tolerances.

Item No.	Set Includes:	lbs.	pkg.
12491	4x120mm, 5x120mm, 6x150mm	.71	1

SHOP NOW

Dead Blow and Sledge Hammers



802 Dead Blow, Medium Hard Face Hammer, Recoilless, Polyurethane, Steel Tube Shaft. "GS" Sign, Cushion Grip.

- Preserves sensitive surfaces and edges
- Increases striking power
- Avoids hand fatigue

Application:

- Machine tools and gear box construction
- Sheet metal shops and repair shops

Faces polyurethane, shatterproof, wear resistant, extremely durable
Faces replaceable. Tubular handle, lacquered in blue, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80225	25	1.0	106	4.2	288	11.3	18	1
80230	30	1.2	115	4.5	290	11.4	21	1
80235	35	1.4	118	4.6	300	11.8	24	1
80240	40	1.6	125	4.9	305	12.0	30	1
80245	45	1.8	130	5.1	310	12.2	37	1
80250	50	2.0	130	5.1	365	14.4	49	1
80260	60	2.3	156	6.1	375	14.7	72	1
80270	70	2.8	161	6.3	385	15.1	97	1



80290 3 Piece Dead Blow Hammer Set - Medium hard

Item No.	mm	Inch	lbs.
80290	80230	30	6.35
	80240	40	
	80250	50	



For 800 & 802 Hammers

802 Replacement Hammer Faces - Medium hard

Item No.	mm	Inch	lbs.	pkg.
80200	25	1.0	.04	1
80202	30	1.2	.04	1
80204	35	1.4	.05	1
80206	40	1.6	.08	1
80208	45	1.8	.12	1
80210	50	2.0	.16	1
80213	60	2.3	.29	1
80216	70	2.8	.39	1



800 Dead Blow, Medium Hard Face, Recoilless, Polyurethane Face, Hickory Handle. Application:

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry

Steel head for incredible strength. Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.

Item No.	mm	Inch	mm	Inch	mm	Inch	oz.	pkg.
80025	25	1.0	106	4.2	320	12.5	11	1
80030	30	1.2	113	4.4	350	13.7	16	1
80035	35	1.4	115	4.5	355	13.9	20	1
80040	40	1.6	123	4.8	375	14.7	26	1
80045	45	1.8	130	5.1	380	14.9	35	1
80050	50	2.0	134	5.3	385	15.1	44	1
80060	60	2.3	158	6.2	420	16.5	70	1
80070	70	2.8	158	6.2	430	16.9	91	1



800 Hickory Replacement Handles - For Dead Blow Hammers

Item No.	Fits Hammer	lbs.	pkg.
80071	80025	25mm	.11 1
80072	80030 & 80035	30/35mm	.19 1
80074	80040 & 80045	40/45mm	.29 1
80076	80050	50mm	.38 1
80078	80060 & 80070	60/70mm	.44 1
80079	80280	80mm	1.76 1
80081	80299	100mm	2.31 1



802 Dead Blow Sledge, Medium Hard Face, Recoilless, Polyurethane Face, Hickory Handle. Application:

- Tools, engineering gear box construction
- Sheet metal and repair shops, heavy industry.

Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable. Hickory handle.


Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
80280	80	3.1	205	8.0	882	34.6	10.0	1
80299	100	3.9	210	8.2	1002	39.3	15.1	1

802 Replacement Hammer Faces - Medium hard.

Item No.	mm	Inch	lbs.	pkg.
80219	80	3.1	.06	1
80222	100	3.9	.10	1



Heavy Duty Split Head Mallets



- Easy replacement with standard components
- Malleable cast iron heads
- Color coded faces
- D-21 to D-80 shore hardness
- Rugged hickory handles



832 Malleable Cast Iron Split Head Mallets With Hickory Handle

- Safety ribbed housings for handle & faces
- 5 head diameters 1.2" to 3.1"
- 5 face shore hardness: D-21 to D-80
- Sturdy Hickory Handles

Faces polyurethane, shatterproof, wear resistant, extremely durable. Faces replaceable.

Item No.	mm	Inch	Faces	mm	Inch	lbs.	pkg.
83230	30	1.2	Hard/Soft	260	10.2	10.6oz	1
83240	40	1.5	Hard/Soft	280	11.0	1.4	1
83250	50	2.0	Hard/Soft	310	12.2	2.4	1
83260	60	2.4	Hard/Soft	340	13.3	3.7	1
83280	80	3.1	MedSoft/X-hard	400	15.8	6.5	1

832 Malleable Cast Iron Split Head Sledge Hammer

With Hickory Handle

Item No.	mm	Inch	Faces	mm	Inch	lbs.	pkg.
83289	80	3.1	MedSoft/X-hard	800	31.5	7.6	1



Soft Face

833 Replacement Square Hammer Faces

Item No.	mm	Inch	lbs.	pkg.
83346	Soft - Blue	40	1.57	.10 1
83347	Medium Hard - yellow	40	1.57	.14 1



Latex Rubber



Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets - 80mm Diameter (3.1") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color Code	lbs.	pkg.
83282	80	3.1	MedSoft	45-D	Latex Rubber	Black	.90	1
83285	80	3.1	X-Hard	80-D	Nylon	White	.88	1



TPE



Latex Rubber



Polyurethane



Cell Acetate



Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets - 30mm Diameter (1.2") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color Code	lbs.	pkg.
83231	30	1.2	Soft	21-D	TPE	Blue	.15	1
83232	30	1.2	MedSoft	45-D	Latex Rubber	Black	.15	1
83233	30	1.2	MedHard	65-D	Polyurethane	Yellow	.15	1
83234	30	1.2	Hard	72-D	Cell Acetate	Orange	.15	1
83235	30	1.2	X-Hard	80-D	Nylon	White	.15	1



TPE



Latex Rubber



Polyurethane



Cell Acetate



Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets - 40mm Diameter (1.5") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color Code	lbs.	pkg.
83241	40	1.5	Soft	21-D	TPE	Blue	.15	1
83242	40	1.5	MedSoft	45-D	Latex Rubber	Black	.15	1
83243	40	1.5	MedHard	65-D	Polyurethane	Yellow	.15	1
83244	40	1.5	Hard	72-D	Cell Acetate	Orange	.15	1
83245	40	1.5	X-Hard	80-D	Nylon	White	.15	1



TPE



Latex Rubber



Polyurethane



Cell Acetate



Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets - 50mm Diameter (2.0") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color Code	lbs.	pkg.
83251	50	2.0	Soft	21-D	TPE	Blue	.26	1
83252	50	2.0	MedSoft	45-D	Latex Rubber	Black	.26	1
83253	50	2.0	MedHard	65-D	Polyurethane	Yellow	.26	1
83254	50	2.0	Hard	72-D	Cell Acetate	Orange	.26	1
83255	50	2.0	X-Hard	80-D	Nylon	White	.26	1



TPE



Latex Rubber



Polyurethane



Cell Acetate



Nylon

832 Color Coded Faces For Heavy Duty Split Head Mallets - 60mm Diameter (2.4") Mallet Faces

Item No.	mm	Inch	Type	Shore Hardness	Material	Color Code	lbs.	pkg.
83261	60	2.4	Soft	21-D	TPE	Blue	.42	1
83262	60	2.4	MedSoft	45-D	Latex Rubber	Black	.42	1
83263	60	2.4	MedHard	65-D	Polyurethane	Yellow	.42	1
83264	60	2.4	Hard	72-D	Cell Acetate	Orange	.42	1
83265	60	2.4	X-Hard	80-D	Nylon	White	.42	1

SHOP NOW

Build A Mallet - Handle & Housing Assembly



832 Malleable Cast Iron Split Head Housing With Hickory Handle

- Safety ribbed housings for handle & faces
- Sturdy Hickory Handles

Item No.	↓●	↓●	┌─┐	┌─┐	┌─┐	┌─┐
	mm	Inch	mm	Inch	lbs.	pkg.
83221	30	1.2	260	10.2	.87	1
83222	40	1.5	280	11.0	1.5	1
83223	50	2.0	310	12.2	2.3	1
83224	60	2.4	340	13.3	3.2	1
83225	80	3.1	400	15.8	5.6	1
83226	80	3.1	800	31.5	7.2	1



832 Replacement Heavy Duty Mallet Housing

For split head mallets made of malleable cast iron

Item No.	↓●	↓●	┌─┐	┌─┐
	mm	Inch	lbs.	pkg.
83238	30	1.2	.50	1
83248	40	1.6	1.0	1
83258	50	2.0	1.6	1
83268	60	2.4	2.7	1
83288	80	3.1	4.4	1



832 Hickory Replacement Handles -

For split head replaceable face mallets

Item No.	Fits	┌─┐	┌─┐	┌─┐	┌─┐
	Housing	mm	Inch	lbs.	pkg.
83273	83238 30mm	260	10.2	.18	1
83274	83248 40mm	280	11.0	.24	1
83275	83258 50mm	310	12.2	.39	1
83276	83268 60mm	340	13.3	.49	1
83277	83288 80mm	400	15.8	.68	1
83279	83288 80mm	800	31.5	1.3	1



83290 15 Piece Split Head Mallet Set - In 16" Tool Box

Mallet Housing		W/Hickory Handle		Hex Assembly Keys	
	↓●	┌─┐		●	mm
83221	30mm	260		35309	5.0
83223	50mm	310		35312	8.0
Mallet Faces				Shore Hardness	
					┌─┐
83231	30mm	Blue	Soft	21-D	lbs.
83232	30mm	Black	Med Soft	45-D	8.7
83233	30mm	Yellow	Med Hard	65-D	
83234	30mm	Orange	Hard	72-D	
83235	30mm	White	Ex Hard	80-D	
83251	50mm	Blue	Soft	21-D	
83252	50mm	Black	Med Soft	45-D	
83253	50mm	Yellow	Med Hard	65-D	
83254	50mm	Orange	Hard	72-D	
83255	50mm	White	Ex Hard	80-D	



83295 10 Piece Safety Heavy Duty Split Head Mallet Set

Item No. 83295					
Mallet Housing & Handle				Hex Assembly L-key	
					
83222	40mm			35260	6.0mm
Mallet Faces				Shore Hardness	
83241	40mm	Blue	Soft	21-D	lbs.
83346	40mm	Blue	Soft Sq.	21-D	5.9
83243	40mm	Yellow	Med Hard	65-D	
83347	40mm	Yellow	M. Hard Sq.	65-D	
83244	40mm	Orange	Hard	72-D	
83245	40mm	White	Ex Hard	80-D	
83242	40mm	Black	Med Soft	45-D	
83242	40mm	Black	Med Soft	45-D	

[SHOP NOW](#)

Wiha Maxiflex Hose System 1/4"

34490 Maxiflex Starter Kit

2 Threaded Connectors 1/4" & 1/8" NPT
 3 Cylindrical Nozzles 1/16", 1/8", 7/32"
 22 Segments - 11". lbs. .17

Item No. OAL  pkg.

34490 320mm/12.6" 1

34401 Bulk Segments

1/4" - 28 pc. segments. lbs. 2.38

Item No. OAL  pkg.

34401 25.75 ft. 1

34402 Segments 1/4" - Pack with

22 segments 11". lbs. .08

Item No. OAL  pkg.

34402 280mm/11.0" 1

34404 1/16" Nozzle

1/4" - Nozzle Ø 1.6mm - 1/16". lbs. .02

Item No. Dia.  pkg.

34404 1.6mm/.620" 1

34406 1/8" Nozzle

1/4" - Nozzle Ø 3.2mm - 1/8". lbs. .02

Item No. Dia.  pkg.

34406 3.2mm/.125" 1

34408 7/32" Nozzle

1/4" - Nozzle Ø 5.6mm - 7/32". lbs. .02

Item No. Dia.  pkg.

34408 5.6mm/.22" 1

34410 Straight Flat Nozzle

1/4" - Flat Nozzle 24mm wide. lbs. .03

Item No. Width  pkg.

34410 24mm/.94" 1

34412 Straight Multi Hole Nozzle

1/4" - Multi Hole Nozzle. lbs. .02

Item No. Width  pkg.

34412 24mm/.94" 1

34414 1/16" Nozzle 90° Bend 1/4" -

Angular Nozzle Ø 1.6mm-1/16". lbs. .02

Item No. Dia.  pkg.

34414 1.6mm/.620" 1

34416 1/8" Nozzle 90° Bend 1/4" -

Angular Nozzle Ø 3.2mm-1/8". lbs. .02

Item No. Dia.  pkg.

34416 3.2mm/.125" 1

34418 7/32" Nozzle 90° Bend 1/4" -

Angular Nozzle Ø 5.6mm-7/32". lbs. .02

Item No. Dia.  pkg.


34418 5.6mm/.22" 1

34420 Multi Hole Spray Bar 1/4" -

Right Angle Multi Hole Nozzle. lbs. .02

Item No. Width  pkg.

34420 24mm/.94" 1



7 Holes
 .060 Hole
 Diameter

7 Holes
 .078 Hole
 Diameter

34432 Adapter for LcLn-1/4" lbs. .02

Item No. OAL  pkg.

34432 7x2mm 1

34434 Male Double End Segment

Item No. Size lbs.  pkg.

34434 1/4" .02 1

34436 Female Double End Segment

Item No. Size lbs.  pkg.

34436 1/4" .02 1

34422 BSPT Threaded Connector

NPT 1/8" lbs. .03

Item No. Size  pkg.

34422 1/8" 1

34424 BSPT Threaded Connector

NPT 1/4" lbs. .03

Item No. Size  pkg.

34424 1/4" 1

34426 NPT Threaded Connector

NPT 1/8" lbs. .02

Item No. Size  pkg.

34426 1/8" 1

34428 NPT Threaded Connector

NPT 1/4" lbs. .02

Item No. Size  pkg.

34428 1/4" 1

34430 1/4" Y-Junction lbs. .02

Item No. Size  pkg.

34430 1/4" 1

34438 In Line Valve lbs. .03

Item No. Size  pkg.

34438 1/4" 1

34440 Segment Clip lbs. .02

Item No. Size  pkg.

34440 1/4" 1

34442 Separation Wedge lbs. .06

Item No. Size  pkg.

34442 1/4" 1

34444 Assembly Pliers lbs. .38

Item No. Size  pkg.

34444 1/4" 1



SHOP NOW

Wiha Maxiflex Hose System 1/2"

34090 Maxiflex Starter Kit

2 Threaded Connectors 1/2" & 3/8" NPT
Straight, 90° Bend & Multi Hole Nozzles
12 Segments - 12.6". lbs. .30

Item No.	OAL	pkg.
34090	320mm/12.6"	1

34001 Bulk Segments

1/2" - 28 pc. segments. lbs. 5.71

Item No.	OAL	pkg.
34001	25.75 ft.	1

34000 Segments 1/2" - Pack with

12 segments 11". lbs. .21

Item No.	OAL	pkg.
34000	279mm/11"	1

34046 1/2" Pipe Segment lbs. .06

Item No.	OAL	pkg.
34046	4.75"	1

34048 1/2" Segment Clamp

Including Screws. lbs. .08

Item No.	pkg.
34048	1

34002 1/2" Straight Nozzle

1/2" - Nozzles Ø 10mm. lbs. .03

Item No.	Dia.	pkg.
34002	10mm/.393"	1

34008 Straight Multi Hole Nozzle

1/2"-Multi Hole Nozzle. lbs. .04

Item No.	Width	pkg.
34008	30mm/1.2"	1

34004 Straight Flat Nozzle

1/2" - Flat Nozzle 30mm wide. lbs. .04

Item No.	Width	pkg.
34004	30mm/1.2"	1

34006 Straight Flat Nozzle

1/2" - Flat Nozzle 60mm wide. lbs. .05

Item No.	Width	pkg.
34006	60mm/2.4"	1

34012 Nozzle 90° Bend

1/2" - Angular Nozzle Ø 7mm. lbs. .03

Item No.	Dia.	pkg.
34012	7mm/.275"	1

34010 Nozzle 90° Bend

1/2" - Angular Nozzle Ø 10mm. lbs. .03

Item No.	Dia.	pkg.
34010	10mm/.393"	1

34014 Multi Hole Angular Nozzle 1/2"

Right Angle Side Spray Nozzle. lbs. .04

Item No.	Width	pkg.
34014	45mm/1.7"	1



8 Holes

.125 Hole Diameter

All components are in single unit package

34028 Reducer Adapter 1/2" to 1/4"

Item No.	Size	lbs.	pkg.
34028	1/2"	.03	1

34030 Adapter - 1/2" LcLn

Item No.	Size	lbs.	pkg.
34030	1/2"	.04	1

34034 Female Double End Segment

Item No.	Size	lbs.	pkg.
34034	1/2"	.04	1

34036 Male Double End Segment

Item No.	Size	lbs.	pkg.
34036	1/2"	.04	1

34016 BSPT Threaded Connector

NPT 3/8" lbs. .03

Item No.	Size	pkg.
34016	1/8"	1

34018 BSPT Threaded Connector

NPT 1/2" lbs. .03

Item No.	Size	pkg.
34018	1/4"	1

34020 NPT Threaded Connector

NPT 3/8" lbs. .03

Item No.	Size	pkg.
34020	1/8"	1

34022 NPT Threaded Connector

NPT 1/2" lbs. .03

Item No.	Size	pkg.
34022	1/4"	1

34024 Y-Junction lbs. .05

Item No.	Size	pkg.
34024	1/2"	1

34026 Y Reducer Junction 1/2"-1/4"

Item No.	Size	lbs.	pkg.
34026	1/2"	.05	1

34038 In Line Valve lbs. .07

Item No.	Size	pkg.
34038	1/2"	1

34040 Segment Clip lbs. .03

Item No.	Size	pkg.
34040	1/2"	1

34042 Separation Wedge lbs. .15

Item No.	Size	pkg.
34042	1/2"	1

34044 Assembly Pliers lbs. .42



Item No.	Size	pkg.
34044	1/2"	1



[SHOP NOW](#)

Non-metallic high-tech material with 60% fiber glass content, extremely high rigidity. For improved accuracy to .0005"

Won't damage sensitive parts



Non-corrosive, non-magnetic, hardly conductive and electrically insulated

Thermal stability of the measuring surfaces:
Short-term up to 180°C,
continuous 100-120°C

Precision ratchet guarantees uniform clamping force of the measuring jaw

Made in Switzerland

Digital Caliper DigiMax



41101 Digital Caliper DigiMax

Non-metallic high-tech material with 60% fiber glass content. 5 digit digital display with 7.5mm numeral height for easy reading. For outside, inside, depth and step measurements. Switches on automatically when used and switches off automatically after five minutes of non-use. Zero setting possible in every position for quick comparison measurements.

Item						
No.	Reading	Inch	Reading mm	Pkg.	lbs.	
41101	0.0005"	6	0.01mm 150	1	.11	

Dial Caliper DialMax - Metric & Inch



411 Dial Caliper DialMax - Metric & Inch

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.

Item						
No.	Reading	mm	Inch		Pkg.	lbs.
41102	0.1mm	150	6	Metric	1	.10
41104	.001"	150	6	Inch	1	.10

Vernier - CaliMax Metric & Inch




41103 Vernier Caliper CaliMax

Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Almost parallax-free reading of the measurement value. Neon green vernier scale in with strong contrast for optimal reading. Vernier for millimeter & inch display.

Item						
No.	Reading	mm	Inch	Pkg.	lbs.	
41103	.1mm + 1/64"	150	6	1	.10	

ESD Safe Dial Caliper DialMax - Metric/Inch



For working in sensitive electronic components

Conductive, Anti-static, Dissipative



ESD Standard
IEC 61340-5-1

411 ESD Safe Dial Caliper DialMax - Metric & Inch


Non-metallic high-tech material with 60% fiber glass content. For outside, inside, depth and step measurements. Impact resistant dial can be recalibrated to zero.

Item						
No.	Reading	mm	Inch		Pkg.	lbs.
41105	.001"	150	6	Inch	1	.10
41106	0.1mm	150	6	Metric	1	.10

SHOP NOW

Wiha Long Life Maxiflex Folding Rulers

From KWB division of Wiha in Switzerland



Patented play free joint with steel spring pin, wear resistant & maintenance free

90° positive stop joints

Reinforced with 30% fiberglass, rugged polyimide is scratch resistant

Deep embossed water proof scales

Tough and Flexible, impact resistant

Chemical and weather resistant for outdoor use



Deep embossed scale on both sides of ruler

61662 Combination Metric & Inch Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Metric rules have 10cm red marking.

Item	No.	Meter	Inch	Width	Sections	Increments	lbs.	pkg.
61662	2	78"	15mm	10	1/16 & 1mm	.31	1	



Deep embossed scale on both sides of ruler

61619 Outside Reading Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Inch rules have 16" red stud wall marking.

Item	No.	Ft.	Width	Sections	Increments	lbs.	pkg.
61619	6'	5/8"	12	1/16"	.39	1	



Deep embossed scale on both sides of ruler

61609 Inside Reading Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Inch rules have 16" red stud wall marking.

Item	No.	Ft.	Width	Sections	Increments	lbs.	pkg.
61609	6'	5/8"	12	1/16"	.46	1	



61620 Outside Reading 6" Depth Extension Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Inch rules have 16" red stud wall marking.


Item	No.	Ft.	Depth	Width	Sections	Increments	lbs.	pkg.
61620	6"	6"	5/8"	12	1/16"	.40	1	



61602 Outside Reading Metric Long Life MaxiFlex Folding Rulers

Molded 30% fiber glass reinforced polyimide scratch, chemical & weather resistant both tough & flexible, impact resistant. Patented play free joint with steel spring is wear and maintenance free. 90° positive stop joints. Deep embossed scale on both sides of rules. Metric rules have 10cm red marking.

Item	No.	Meter	Width	Sections	Increments	lbs.	pkg.
61602	2	15mm	10	1mm to CM	.40	1	



61601 MaxiFlex Folding Rulers

Item	No.	Inch/Meter	Width	Sections	Increments	lbs.	pkg.
61601	39"/1	1/2"	10	1/16 & 1mm	.12	1	

Wiha Molded Torpedo Level



61670 Molded Torpedo Level

Super light weight, waterproof resistant. 3 vial with magnetic base.

Item	No.	OAL	lbs.	pkg.
61670	8.0"	.46	1	

Numerical Index by Item Number

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
12411	30	34404	34	35054	4	40086	10	50005	6	60146	19
12412	30	34406	34	35055	4	40087	9	50006	6	60190	18
12413	30	34408	34	35056	4	40088	9	50007	6	60191	18
12414	30	34410	34	35090	5	40089	7	50008	6	60192	18
12415	30	34412	34	35091	5	40091	7	50009	6	60193	18
12416	30	34414	34	35092	5	40092	10	50011	6	60210	21
12419	30	34416	34	35093	5	40093	8	50012	6	60211	21
12420	30	34418	34	35094	5	40094	9	50013	6	60212	21
12421	30	34420	34	35095	5	40095	8	50014	6	60213	21
12422	30	34422	34	35096	5	40096	10	50015	6	60214	21
12423	30	34424	34	35097	5	40097	8	50016	6	60215	21
12424	30	34426	34	35098	5	40098	10	50017	6	60216	21
12425	30	34428	34	35099	5	40099	8	50019	6	60217	21
12426	30	34430	34	40001	9	41101	36	50027	6	60218	21
12436	30	34432	34	40002	9	41102	36	50043	6	60219	21
12437	30	34434	34	40003	9	41103	36	50044	6	60220	21
12438	30	34436	34	40004	9	41104	36	50045	6	60221	21
12439	30	34438	34	40005	9	41105	36	50046	6	60222	21
12490	30	34440	34	40006	9	41106	36	50047	6	60223	21
12491	30	34442	34	40007	9	43020	29	50048	6	60224	21
12492	30	34444	34	40008	9	43040	29	50050	6	60225	21
23420	30	34490	34	40009	9	43090	29	50051	6	60227	20
23421	30	35001	4	40011	9	43092	29	50052	6	60228	20
23422	30	35002	4	40012	9	43093	29	50054	6	60229	20
23423	30	35003	4	40013	9	43094	29	50055	6	60230	20
23424	30	35004	4	40014	9	43095	29	50056	6	60231	20
23425	30	35006	4	40015	9	43096	29	50057	6	60232	20
23426	30	35007	4	40016	9	43097	29	50058	6	60233	20
23427	30	35008	4	40017	9	47501	11	50059	6	60234	20
23428	30	35009	4	40018	9	47502	11	50087	6	60235	20
23429	30	35010	4	40019	9	47503	11	50088	6	60236	20
23432	30	35011	4	40020	9	47504	11	50089	6	60237	20
23433	30	35012	4	40027	9	47505	11	50091	6	60238	20
23434	30	35013	4	40028	9	47506	11	50094	6	60239	20
23435	30	35014	4	40029	9	47507	11	50095	6	60240	20
23436	30	35015	4	40030	9	47508	11	60101	18	60241	20
23437	30	35016	4	40031	9	47509	11	60102	18	60242	20
23438	30	35017	4	40032	9	47510	11	60103	18	60243	20
23490	30	35018	4	40033	9	47511	11	60104	18	60248	22
23491	30	35019	4	40034	9	47512	11	60105	18	60249	22
30002	29	35020	4	40035	9	47513	11	60106	18	60250	22
30098	7	35021	4	40036	9	47514	11	60107	18	60251	22
30099	7	35022	4	40037	9	47515	11	60108	18	60252	22
30102	29	35023	4	40038	9	47516	11	60109	18	60253	22
34000	35	35024	4	40039	9	47517	11	60110	18	60254	22
34001	35	35025	4	40040	9	47518	11	60111	18	60255	22
34002	35	35026	4	40043	7	47519	11	60112	18	60256	22
34004	35	35027	4	40044	7	47520	11	60115	18	60257	23
34006	35	35028	4	40045	7	47521	11	60116	18	60258	23
34008	35	35029	4	40046	7	47522	11	60117	18	60259	23
34010	35	35032	4	40047	7	47523	11	60118	18	60260	23
34012	35	35033	4	40048	7	47524	11	60119	18	60261	23
34014	35	35034	4	40049	7	47525	11	60120	18	60262	23
34016	35	35035	4	40050	7	47526	11	60121	18	60263	23
34018	35	35036	4	40051	7	47527	11	60122	18	60264	23
34020	35	35037	4	40052	7	47528	11	60123	18	60265	22
34022	35	35038	4	40053	7	47529	11	60124	18	60266	22
34024	35	35039	4	40054	7	47530	11	60125	18	60267	22
34026	35	35040	4	40055	7	47531	11	60126	18	60268	22
34028	35	35041	4	40056	7	47532	11	60127	18	60292	20
34030	35	35042	4	40057	7	47533	11	60131	19	60293	21
34034	35	35043	4	40058	7	47534	11	60132	19	60294	20
34036	35	35044	4	40059	7	47535	11	60133	19	60295	21
34038	35	35045	4	40060	7	47536	11	60134	19	60296	20
34040	35	35046	4	40061	7	47537	11	60135	19	60297	21
34042	35	35047	4	40062	7	47538	11	60136	19	60301	25
34044	35	35048	4	40063	7	47539	11	60137	19	60302	25
34046	35	35049	4	40064	7	47540	11	60138	19	60303	25
34048	35	35050	4	40065	7	47541	11	60139	19	60304	25
34090	35	35051	4	40066	7	47590	11	60140	19	60305	25
34401	34	35052	4	40067	7	47591	11	60141	19	60306	25
34402	34	35053	4	40068	7	50004	6	60145	19	60307	25

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
60308	25	61670	37	71698	16	76330	13	77175	15	83235	32
60309	25	70107	13	71761	14	76331	13	77177	15	83238	33
60310	25	70108	13	71762	14	76332	13	77179	15	83240	32
60311	25	70109	13	71763	14	76333	13	77191	15	83241	32
60312	25	70110	13	71764	14	76334	13	77192	15	83242	32
60313	25	70113	13	71765	14	76335	13	77193	15	83243	32
60314	25	70115	13	71766	14	76336	13	77195	15	83244	32
60315	25	70117	13	71767	14	76337	13	77198	15	83245	32
60316	25	70119	13	71768	14	76338	13	77304	15	83248	33
60317	25	70121	13	71771	14	76339	13	77305	15	83250	32
60318	25	70123	13	71772	14	76340	13	77306	15	83251	32
60321	24	70195	16	71773	14	76341	13	77307	15	83252	32
60322	24	71300	14	71774	14	76342	13	77308	15	83253	32
60323	24	71301	14	71775	14	76346	13	77310	15	83254	32
60324	24	71302	14	71776	14	76348	13	77331	15	83255	32
60325	24	71305	14	71777	14	76352	13	77333	15	83258	33
60326	24	71313	14	71797	17	76354	13	77335	15	83260	32
60327	24	71314	14	71798	17	76395	16	77337	15	83261	32
60328	24	71316	14	71989	17	76396	16	77341	15	83262	32
60329	24	71317	14	71996	17	76397	16	77343	15	83263	32
60330	24	71319	14	71999	17	76399	16	77345	15	83264	32
60331	24	71320	14	72001	14	76403	12	77347	15	83265	32
60332	24	71322	14	72002	14	76404	12	77349	15	83268	33
60333	24	71323	14	72003	14	76405	12	77353	15	83273	33
60334	24	71325	14	72004	14	76406	12	77391	16	83274	33
60335	24	71327	14	72005	14	76407	12	80025	31	83275	33
60336	24	71331	14	72006	14	76411	12	80030	31	83276	33
60337	24	71332	14	72090	14	76412	12	80035	31	83277	33
60338	24	71340	14	72110	15	76413	12	80040	31	83279	33
60339	24	71341	14	72115	15	76414	12	80045	31	83280	32
60340	24	71370	14	72401	15	76417	12	80050	31	83282	32
60341	24	71371	14	72405	15	76418	12	80060	31	83285	32
60342	24	71372	14	72410	15	76419	12	80070	31	83288	33
60343	24	71374	14	72415	15	76422	12	80071	31	83289	32
60344	24	71375	14	76106	13	76423	12	80072	31	83290	33
60345	24	71376	14	76107	13	76424	12	80074	31	83295	33
60346	24	71377	14	76109	13	77101	15	80076	31	83346	32
60350	27	71378	14	76111	13	77103	15	80078	31	83347	32
60351	26	71379	14	76113	13	77105	15	80079	31	91095	28
60352	27	71380	14	76117	13	77107	15	80081	31	91110	28
60353	27	71381	14	76119	13	77109	15	80200	31	91112	28
60354	27	71382	14	76121	13	77111	15	80202	31	91114	28
60355	27	71383	14	76123	13	77113	15	80204	31		
60356	27	71384	14	76129	13	77115	15	80206	31		
60357	27	71385	14	76131	13	77117	15	80208	31		
60358	27	71386	14	76132	14	77128	15	80210	31		
60359	27	71388	14	76133	14	77130	15	80213	31		
60360	27	71390	14	76134	14	77132	15	80216	31		
60361	27	71391	17	76135	14	77134	15	80219	31		
60362	27	71392	17	76136	14	77136	15	80222	31		
60363	27	71393	17	76137	14	77138	15	80225	31		
60364	26	71394	17	76138	14	77139	15	80230	31		
60365	26	71398	17	76164	14	77140	15	80235	31		
60366	26	71661	13	76165	14	77141	15	80240	31		
60370	28	71662	13	76166	14	77142	15	80245	31		
60371	28	71663	13	76167	14	77144	15	80250	31		
60375	26	71664	13	76168	14	77146	15	80260	31		
60376	26	71665	13	76169	14	77148	15	80270	31		
60377	26	71666	13	76170	14	77151	15	80280	31		
60378	26	71667	13	76171	14	77152	15	80290	31		
60379	26	71668	13	76172	14	77153	15	80299	31		
60393	24	71669	13	76191	16	77154	15	83221	33		
60395	25	71670	13	76194	16	77156	15	83222	33		
60396	24	71671	13	76312	13	77158	15	83223	33		
60397	25	71673	13	76314	13	77160	15	83224	33		
61598	12	71674	13	76316	13	77162	15	83225	33		
61601	37	71675	13	76318	13	77164	15	83226	33		
61602	37	71676	13	76322	13	77165	15	83230	32		
61609	37	71677	13	76324	13	77167	15	83231	32		
61619	37	71678	13	76326	13	77169	15	83232	32		
61620	37	71680	13	76328	13	77171	15	83233	32		
61662	37	71681	13	76329	13	77173	15	83234	32		



Presented By:



(800) 346-8274

fax: 253-476-1321

email: sales@carbideprocessors.com

www.carbideprocessors.com

Catalog Item No. 99004
version - 3/1/13

Subject to change
without notice

©2013 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



99060.wi - Product Guide



99004.wi - Shop Tools Catalog



99914.wi - TORX Catalog



99945.wi - ESD Safe Catalog



99951.wi - Bits Catalog



99001.wi - TorqueControl Catalog



99934.wi - Hex Tools Catalog



99919.wi - Insulated Catalog



99006.wi - Tech Tools Catalog



99977.wi - Pliers/Crimpers Catalog