



Wiha Precision Screwdrivers

Description	Page
 Precision Slotted Drivers	4-5
Precision Phillips Drivers	5
Precision Pozidriv® Drivers	6
Precision Hex Drivers	6
Precision Ball End Drivers	7
Precision Nut Drivers	8
Precision Torx® Drivers	9
 Precision Chip Lifters	9


Wiha Magnetizer/Demagnetizer

Description	Page
 Torque Cable Keys	7

Wiha Precision Screwdriver Accessories

Description	Page
 Precision Master Tech Set	9
 Precision Pocket Clip	9
 Precision Stand	9
 Precision Pouch	8,13

Wiha Precision PicoFinish Drivers

Description	Page
 PicoFinish Screwdrivers	10-13
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter & Nut Drivers	

Wiha Magnetizer/Demagnetizer

Description	Page
 Magnetizer/Demagnetizer	13

Wiha Precision Protturn Drivers

Description	Page
 Protturn Drivers & Blade Sets	14
Slotted, Phillips, Torx, Chip Lifter	

Wiha ESD Safe Precision Handles/Blades

Description	Page
 SYSTEM 4 Handles/Blades	15-16
SYSTEM 4 Sets	17-18

Wiha ESD Safe Precision Handle & Blades

Description	Page
 SYSTEM 4 Drive-Loc Handle & Blades	16
 SYSTEM 4 Drive-Loc Set	16





ESD Safe Micro Bit Handles, Bits & Sets

DESCRIPTION	Page
 Micro Bits Handles/Bits/Sets	19-21
 ESD Safe Micro Bit Sets	22


Precision Electronic Pliers/Cutters

Description	Page
 Electronic Diagonal Cutters Wide Pointed Head	23
 Electronic Diagonal Cutters Wide Shape w/Wire Holding Spring	23
 Electronic Diagonal Cutters Narrow Shape	23
 Electronic Diagonal Cutters Full Flush Cutters w/Wire Trapping Spring	24
 Electronic Diagonal Cutters 48° Front Cutter/Long Nose Pliers	24
 Electronic Diagonal Cutters Oblique 30° Cutting Nippers	24
 Electronic Diagonal Cutters Short Nose Precision Pliers	24
 Electronic Stripping Pliers	24

Wiha Professional Tweezers

Description	Page
 ESD Safe Tweezers	25-27
 Standard Tweezers	28-30
 Wafer Tweezers	31
 Cutting Tweezers	33
 Guide Pin Tweezers	32
 SMD Tweezers	33
 Microscopy Tweezers	35
 Self Closing Tweezers	34
 Long Tweezers w/Long Tips	33
 Isolated Tweezers	35
 Super Thin Tweezers	33
 Inspection Mirrors	36
 All Stainless Hooks	36
 All Stainless Excavators	37
 All Stainless Probes	37

Wiha Stripping Tools

Description	Page
 Self Adj. Cut & Strip Tools	38
 Adjustable Cable Stripper	39
 Adjustable Stripping Tool	39
 CATV/Satellite Stripper	39
 2 Step Stripping Tools	40
 3 Step Stripping Tools	41

Wiha ESD Safe Tech Tools

ESD Safe Precision Drivers
Slotted/Phillips/Torx®/
TorxPlus®/Hex/Nut Drivers/
Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
Handles/Blades/Sets

ESD Safe Drive-Loc
Handles/Blades/Sets

ESD Safe Pliers & Cutters



Catalog 99945.wo

Rotating cap

for precise
turning and control
with fingertip

Precision handle

high quality
plastic,
cadmium free

**Molded on
tapered handle**

allows rapid
rotation

**High performance
blades**

chrome-vanadium-
molybdenum steel,
Hard chrome finished

Tip

precision ground for
exact fit, hard chromed
non-slip surface

SHOP NOW**Wiha Long Life Precision Series****260 Slotted Screwdriver, With Precision Handle**

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26008	.80	1/32	40	1.6	0.16	.01	120	4.7	.02	10
26010	1.0	.039	40	1.6	0.18	.01	120	4.7	.02	10
26012	1.2	3/64	40	1.6	0.20	.01	120	4.7	.02	10
26015	1.5	1/16	40	1.6	0.25	.01	120	4.7	.02	10
26018	1.8	.070	40	1.6	0.30	.01	120	4.7	.02	10
26020	2.0	5/64	40	1.6	0.40	.02	120	4.7	.02	10
26022	2.0	5/64	50	2.0	0.40	.02	145	5.7	.02	10
26023	2.0	5/64	100	3.9	0.40	.02	180	7.1	.03	10
26025	2.5	3/32	50	2.0	0.40	.02	145	5.7	.03	10
26027	2.5	3/32	100	3.9	0.40	.02	195	7.7	.03	10
26028	2.5	3/32	150	6.0	0.40	.02	245	9.6	.04	10
26030	3.0	1/8	50	2.0	0.50	.02	145	5.7	.03	10
26032	3.0	1/8	60	2.4	0.50	.02	170	6.7	.04	10
26033	3.0	1/8	100	3.9	0.50	.02	210	8.3	.04	10
26034	3.0	1/8	150	5.9	0.50	.02	260	10.2	.05	10
26035	3.5	9/64	60	2.4	0.60	.02	170	6.7	.05	10
26040	4.0	5/32	60	2.4	0.80	.03	170	6.7	.05	10
26041	4.0	5/32	100	3.9	0.80	.03	210	8.3	.06	10
26042	4.0	5/32	150	5.9	0.80	.03	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate

**26090 6 Piece Precision Slotted Set**

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26090	Slotted:	
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	

**26099 8 Piece Precision Slotted Set**

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26099	Slotted: 1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

SHOP NOW

Wiha Precision Slotted/Phillips Drivers




261 Phillips Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26102	000	40	1.6	2.0	.08	120	4.7	.02	10
26100	00	40	1.6	2.0	.08	120	4.7	.02	10
26101	00	75	3.0	2.0	.08	155	6.1	.02	10
26105	0	50	2.0	3.0	.12	145	5.7	.02	10
26108	0	75	3.0	3.0	.12	170	6.7	.03	10
26107	0	100	3.9	3.0	.12	195	7.6	.05	10
26109	0	150	5.9	3.0	.12	245	9.6	.06	10
26110	1	60	2.4	4.0	.16	170	6.7	.05	10
26113	1	80	3.1	4.0	.16	190	7.5	.05	10
26114	1	100	3.9	4.0	.16	210	8.2	.06	10
26115	1	150	5.9	4.0	.16	260	10.2	.07	10

*Metric dimensions actual - Inch dimensions approximate



26092 7 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26092	Slotted:	
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



26190 7 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26190	Slotted:	
	1.5 x 40mm	.31
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	



26194 4 Piece Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished.

Item No.		lbs.
26194	Phillips: 000, 00 x 40mm	
	0 x 50mm, 1 x 60mm	.18



In canvas storage pouch

26199 8 Piece Precision Slotted/Phillips Set

Blade high alloy CVM steel, hard chrome finished.

Item No.		lbs.
26199	Slotted: 1.0, 2.0 x 40mm,	
	3.0 x 50mm, 4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm,	
	0 x 50mm, 1 x 60mm	



26192 5 Piece Precision Slotted & Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26192	Slotted:	
	2.5, 3.0, 4.0 x 150mm	.44
	Phillips:	
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



262 Pozidriv® Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26205	0	50	2.0	3.0	.12	145	5.7	.03	10
26210	1	60	2.4	4.0	.16	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate

SHOP NOW

Wiha Hex Metric Precision Series



263 Metric Metric Hex Driver, With Precision Handle

Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.	
26307	.71	.028	40	1.6	120	4.7	.02	10	
26309	.89	.035	40	1.6	120	4.7	.02	10	
26313	1.27	.050	40	1.6	120	4.7	.02	10	
26315	1.5	-	50	2.0	145	5.7	.03	10	
26320	2.0	5/64	50	2.0	145	5.7	.03	10	
26325	2.5	-	60	2.4	170	6.7	.04	10	
26330	3.0	-	60	2.4	170	6.7	.04	10	
26340	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



26390 7 Pc. Precision Hex Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26390	Hex Metric:	lbs.
	.71, .89, 1.27 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



263 Inch Inch Hex Driver, With Precision Handle

Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item									
No.	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.	
26307	.028	.71	40	1.6	120	4.7	.02	10	
26309	.035	.89	40	1.6	120	4.7	.02	10	
26313	.050	1.27	40	1.6	120	4.7	.02	10	
26316	1/16	-	50	2.0	145	5.7	.03	10	
26320	5/64	2.0	50	2.0	145	5.7	.03	10	
26323	3/32	-	60	2.4	170	6.7	.04	10	
26327	7/64	-	60	2.4	170	6.7	.04	10	
26331	1/8	-	60	2.4	170	6.7	.04	10	
26333	9/64		60	2.4	170	6.7	.05	10	
26336	5/32		60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



26391 8 Pc. Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26391	Hex Inch:	lbs.
	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	




26399 8 Piece Precision Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel.
Hard chrome finished. In canvas storage pouch

Item No.		
26399	Hex Inch:	lbs.
	.028, .035, .050 x 1.6"	
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.55

[SHOP NOW](#)

Wiha Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	.050	40	1.6	120	4.7	.02	10
26416	1/16	50	2.0	145	5.7	.03	10
26419	5/64	50	2.0	145	5.7	.03	10
26423	3/32	50	2.0	145	5.7	.03	10
26427	7/64	60	2.4	170	6.7	.03	10
26431	1/8	60	2.4	170	6.7	.05	10
26436	9/64	60	2.4	170	6.7	.05	10
26439	5/32	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



264 Metric Ball End Hex Metric Screwdriver With Precision Handle

Angle entry up to 30°. Blade high alloy CVM steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26413	1.27	.050	40	1.6	120	4.7	.02	10
26415	1.5	-	50	2.0	145	5.7	.03	10
26420	2.0	-	50	2.0	145	5.7	.03	10
26425	2.5	-	60	2.4	170	6.7	.04	10
26430	3.0	-	60	2.4	170	6.7	.05	10
26440	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26491 5 Piece Ball End Hex Driver Set - Metric

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item No.	Ball End Hex Metric:	lbs.
26491	1.27 x 40mm	.25
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	



26490 8 Piece Ball End Hex Driver Set - Inch

Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Hex Inch:	lbs.
26490	.050 x 1.6"	.28
	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	



26499 8 Piece Ball End Hex Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Ball End Hex Inch:	lbs.
26499	.050 x 1.6", 1/16, 5/64, 3/32 x 2.0"	.62
	7/64, 1/8, 9/64, 5/32 x 2.4"	

[SHOP NOW](#)

Wiha Torque Cable Keys



286 Torque Cable Key For Threaded Hex Connectors

For torque controlled fastening of cable plug connectors with Hex heads. Used with Wiha-TorqueControl Screwdrivers.

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28620	8mm	4.0	78	218	1.0	1	.06
28622	9mm	4.0	78	218	1.0	1	.06
28624	11mm	4.0	78	218	1.5	1	.06
28626	12mm	4.0	78	218	1.5	1	.06
28627	13mm	4.0	78	218	1.5	1	.06
28629	14mm	4.0	78	218	1.5	1	.06
28632	17mm	4.0	78	218	1.5	1	.06
28633	18mm	4.0	78	218	1.5	1	.06
28637	22mm	4.0	90	233	2.0	1	.10
28638	24mm	4.0	90	233	2.0	1	.10

28644 Torque Cable Key For Threaded Hex Connectors - Inch

Item No.	Size	mm	mm	mm	Max Nm	pkg.	lbs.
28644	1/2"	4.0	78	218	1.5	1	.06

Wiha Nut Driver Precision Series



265 Metric Metric Nut Driver With Precision Handle

Metric sizes. Blade CVM steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



265 Inch Inch Nut Driver With Precision Handle

Inch sizes. Blade CVM steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



26591 8 Pc. Precision Nut Driver Set - Inch Blade CVM steel.

Item No.	lbs.
26591 Inch Nut Drivers:	lbs. 47
3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	



26592 Set 7 Pcs. Nut Driver Metric

Item No. 26592 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

26590 8 Pc. Precision Nut Driver Set - Metric Blade CVM steel.

Item No.	lbs.
26590 Metric Nut Drivers:	lbs. .48
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	



26599 8 Pc. Precision Nut Driver Set - Inch

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

Wiha Precision Chip Lifter



26810 Precision Chip Lifter

Blade chrome-vanadium-molybdenum steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate



26598 8 Pc. Precision Nut Driver Set - Metric

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item No.	lbs.
26598 Metric Nut Drivers:	lbs. .70
2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 x 60mm	

SHOP NOW

Wiha **TORX®** Precision Series



267 **TORX®** Screwdriver, With Precision Handle

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10
26702	T2	40	1.6	120	4.7	.02	10
26703	T3	40	1.6	120	4.7	.02	10
26704	T4	40	1.6	120	4.7	.02	10
26705	T5	40	1.6	120	4.7	.02	10
26706	T6	40	1.6	120	4.7	.02	10
26707	T7	40	1.6	120	4.7	.02	10
26708	T8	40	1.6	120	4.7	.03	10
26709	T9	50	2.0	145	5.7	.03	10
26710	T10	50	2.0	145	5.7	.03	10
26715	T15	60	2.4	170	6.7	.05	10
26720	T20	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



26790 6 Pc. **TORX®** Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26790	TORX® : T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.30

26791 Set 8 Pcs. **TORX®** Screwdriver Set

Item No. 26791 T1, T2, T3, T4, T5, T6, T7, T8



26799 8 Pc. **TORX®** Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Hard chrome finished. In canvas storage pouch

Item No.		lbs.
26799	TORX® : T3, T4, T5, T6, T7, T8 x 40mm T9 x T10 x 50mm	.50



26792 7 Pc. **TORX®** Screwdriver Set

Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		lbs.
26792	TORX® : T5, T6, T7, T8 x 40mm T9, T10 x 50mm T15 x 60mm	.33



SHOP NOW

92190 Master Technicians Bench Top Set

Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92190	Phillips: #000, #00, #0, #1 TORX® : T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 lbs. 2.86 Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0 Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 26810 Chip Lifter



92191 51 Piece Precision Tool Tray Set

Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted: .8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
92191	Phillips: #000, #00, #0, #1 Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10 lbs. 3.14 Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0 Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32" Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 26810 Chip Lifter



SHOP NOW

26001 Pocket Clip for Precision Screwdrivers

Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.		lbs.	pkg.
26001	Fits all Precision handles	.0035	1



26000 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.		lbs.	pkg.
26000	Rack for 6 Precision screwdrivers	.08	1

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish



Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



260 Slotted Precision Screwdriver, With PicoFinish Handle

Blade CVM steel, hardened, hard chromed.

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



26093 8 Pc. Slotted Precision Screwdriver Set, With Soft

PicoFinish Handle In storage pouch

Item No.		lbs.
26093	Slotted: .8, 1.2, 1.5, 2.0 x 40mm 2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



261 Phillips Precision Screwdriver, With Soft PicoFinish

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft

PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26193	Slotted: 1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55

SHOP NOW

Wiha Pico Soft Grip TORX®



267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Size	mm	Inch	mm	Inch	pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26793	TORX® : T1, T2, T3, T4, T5, T6, T7, T8 x 40mm	.50



26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.		lbs.
26796	TORX®: T5, T6, T7, T8 x 40mm T9, T10 x 50mm, T15, T20 x 60mm	.57

SHOP NOW

Wiha Pico Soft Grip Screw Holding



267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.		lbs.
26798	MagicSpring TORX®: T6, T7, T8 x 40mm T9, T10, T15 x 50mm	.45

Pico Soft Grip Precision Chip Lifter



SHOP NOW

26815 Soft PicoFinish Precision Chip Lifter Blade chrome-vanadium-molybdenum steel, hardened, hard chromed.

Item No.	mm	mm	mm	mm	Inch	lbs.	pkg.
26815	1	3.5	50	150	5.9	.03	1

Standard Soft PicoFinish handle



91118 Rugged Polyester Canvas Storage Pouch

Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

SHOP NOW

Pico Soft Grip Hex Inch & Metric

**263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	mm	Inch	mm	Inch	pkg.
26341	.028(.71)	40	1.6	134	5.3	10
26343	.035(.89)	40	1.6	134	5.3	10
26345	.050(1.27)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Inch:	lbs.
26392	.028, .035, .050 x 1.6"	lbs.
	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	.24

**263 Hex Metric Driver, With Precision Soft PicoFinish Handle**

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26341	.71(.028)	40	1.6	134	5.3	10
26343	.89(.035)	40	1.6	134	5.3	10
26345	1.27(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



In storage pouch

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle

Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	lbs.
26393	.71, .89, 1.27 x 40mm	lbs.
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	.22

SHOP NOW

Pico Soft Grip Ball End Inch & Metric

**264 Ball End Hex Inch Screwdriver, With Precision Soft****PicoFinish Handle** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate

**26493 7 Piece Inch Ball End Hex Precision Driver Set, With****Soft PicoFinish Handle** Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Ball End Hex Inch:	lbs.
26493	1/16, 5/64, 3/32 x 2.0"	lbs.
	7/64, 1/8, 9/64, 5/32 x 2.4"	.27

**264 Ball End Hex Metric Screwdriver, With Precision Soft****PicoFinish Handle.** Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.27	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

SHOP NOW

Pico Soft Grip Nut Drivers Inch & Metric



265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	mm	Inch	mm	pkg.
26571	3/32	2.4	60	6.3	160	10
26572	7/64	2.4	60	6.3	160	10
26573	1/8	2.4	60	6.3	160	10
26574	9/64	2.4	60	6.3	160	10
26575	5/32	2.4	60	6.3	160	10
26576	3/16	2.4	60	6.3	160	10
26577	7/32	2.4	60	6.3	160	10
26578	1/4	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy chrome-vanadium-molybdenum tool steel, hardened, hard chrome finish.

Item No.	mm	mm	Inch	mm	Inch	pkg.
26579	1.5	60	2.4	160	6.3	10
26581	2.0	60	2.4	160	6.3	10
26582	2.5	60	2.4	160	6.3	10
26583	3.0	60	2.4	160	6.3	10
26584	3.5	60	2.4	160	6.3	10
26585	4.0	60	2.4	160	6.3	10
26586	4.5	60	2.4	160	6.3	10
26587	5.0	60	2.4	160	6.3	10
26588	5.5	60	2.4	160	6.3	10
26589	6.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish. Chrom-Top finish on tip for a perfect fit.

In storage pouch

Item No.		lbs.
26596	Metric Nut Drivers: 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box
is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.


Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)



SHOP NOW

Wiha Protturn Precision Screwdrivers



95190 6 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	Phillips	Size	mm	lbs.
95190	Slotted:	1.5mm	40	Phillips:	00	40	.27
		2.5mm	50		0	50	
		3.5mm	60		1	60	



65090 9 Piece Slotted/Phillips Protturn Precision Screwdriver Set

Molded on precision handle. Blade high alloy chrome-vanadium-molybdenum tool steel, black finish.

Item No.	Slotted	mm	mm	mm	mm	Phillips	Size	mm
65090	Slotted:	1.5	40	3.0	60	Phillips:	00	40
		2.0	50	3.5	60		0	50
		2.5	60	4.0	60		1	60



96800 Protturn Precision Chip Lifter

Molded on precision handle. Blade chrome-vanadium-molybdenum tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0

Phillips: #000, #00, #0, #1

lbs. .15



62993 9 Piece Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.


Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0

Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

lbs. .64



62995 22 Piece Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades. Set in canvas storage pouch

Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0 Phillips: #000, #00, #0, #1

TORX®: T6, T7, T8, T9, T10, T15, T20

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .87

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack

Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

Set includes the following blades:

Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .66 Set in canvas storage pouch

SHOP NOW

SHOP NOW

Wiha SYSTEM 4 Precision Handles and Blades

Rotating Cap
for precise turning & control

Tapered Handle
allows rapid rotation, requires less clearance

Blades
chrome-vanadium-molybdenum steel, hardened, hard chromed. On 4mm Hex shafts

Tips
Exact fit, precision machined

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

15mm

Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"

95mm



28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10^6 - 10^9 Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap.
Advantages:

- Use in ESD sensitive applications. Surface resistant 10^6 - 10^9 Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04

26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.
Advantages:

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Slotted Reversible Blade
High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



269 SYSTEM 4 Phillips Reversible Blade
High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed.

Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5 + 000	120	4.7	.05	
26972	2.0 + 00	120	4.7	.05	
26973	3.0 + 0	120	4.7	.05	
26974	4.0 + 1	120	4.7	.06	



269 SYSTEM 4 Pozidriv® Reversible Blade
High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



269 SYS 4 TORX® Reversible Blade
High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item			
No.	Size	Size	lbs.
26951	T6 + T8		.03
26952	T7 + T9		.03
26953	T10 + T15		.03
26954	T15 + T20		.03



269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item		
No.	Size	lbs.
26955	T3	.03
26956	T4	.03
26957	T5	.03




269 SYS 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.27 + 1.27	120	4.7	.05	
26933	1.5 + 1.5	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	

SHOP NOW

Wiha SYSTEM 4 Precision Blades



280 SYSTEM 4 Inch Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item				
No.	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex

Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



269 SYSTEM 4 Inch Hex Sizes,

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	Inch	mm	Inch	lbs.
26921	.050	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



269 SYSTEM 4 Metric Hex Sizes,

Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item				
No.	mm	mm	Inch	lbs.
26913	.71	120	4.7	.06
26914	.89	120	4.7	.06
26915	1.27	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



269 SYSTEM 4 Nut Driver Inch,

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 Nut Driver Metric,

Interchangeable Blade High alloy chrome-vanadium-molybdenum steel, hardened, corrosion protected. 120mm/4.7" OAL

Item				
No.	mm	mm	Inch	lbs.
26940	1.5 + 1.8	.12	.12	.03
26941	2.0 + 2.5	.16	.16	.03
26938	1.5 -	.11	.11	.04
26939	1.8 -	.12	.12	.04
26949	2.0 -	.13	.13	.06
26950	2.5 -	.16	.16	.06
26942	3.0 -	.20	.20	.06
26943	3.2 -	.20	.20	.06
26944	3.5 -	.22	.24	.06
26945	4.0 -	.22	.24	.06
26946	4.5 -	.25	.28	.06
26947	5.0 -	.27	.28	.06
26948	5.5 -	.30	.32	.06


Wiha SYSTEM 4 Drive-Loc Precision Locking Tools



26961 ESD Safe Dissipative Precision

Drive-Loc Handle Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL


Item				
No.	mm	Inch	mm	lbs.
26961	4.0	.1574	23	.91 .08



269 SYSTEM 4 Slotted Drive-Loc

Reversible Locking Blades On 4mm Hex

Item			
No.	mm	mm	lbs.
26958	1.5	3.0	.02
26959	2.0	3.5	.02
26960	2.5	4.0	.02



269 SYSTEM 4 Phillips Drive-Loc

Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26975	000	00	.02
26976	0	1	.02



269 SYSTEM 4 TORX® Drive-Loc

Reversible Locking Blades On 4mm Hex

Item			
No.	Size	Size	lbs.
26977	T1	T2	.02
26978	T3	T4	.02
26979	T5	T6	.02
26980	T6	T8	.02
26981	T7	T9	.02
26982	T10	T15	.02



26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set

In storage pouch

Item No.			
26985	ESD Safe Drive-Loc Handle		
	Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0		
	lbs. .44	Phillips: 000x00, 0x1	
		TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15	

SHOP NOW

SHOP NOW

Wiha Canvas Pouch Sets



Canvas Pouch


26990 4 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:

- **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1

🔧 lbs. .17



Canvas Pouch


26991 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades. In canvas pouch.

26991 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

🔧 lbs. .29



Canvas Pouch

26992 17 Pc. Slotted, Phillips and Ball End Hex Metric/Inch Precision Interchangeable Blade Set


Wiha ESD Safe  precision collet lock handle and 15 Wiha interchangeable blades.

26992 Set include the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- **Ball End Hex Inch:** .050, 1/16, 5/64, 7/64, 3/32, 1/8"
- **Ball End Hex Metric:** 1.5, 2.0, 2.5, 3.0, 4.0mm

Protorn Chip Lifter - #96800

🔧 lbs. .63



Canvas Pouch

28080 22 Piece Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:


- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
- **Hex:** .028, .035
- **Ball Hex:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

Protorn Chip Lifter - #96800

🔧 lbs. .33



ESD Technicians Kit Precision Screwdrivers & Tweezers



Canvas Pouch

44590 12 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.


44590 Set includes the following blades:

- **Slotted:** 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 00, 0, 1
- ⊗ **TORX®:** T6, T7, T8, T9, T10, T15


ESD Safe Precision Tweezers:

- 44501 Fine Point - AA SA
- 44509 Extra Fine Point - 5 SA
- 44505 Flat and Blunt - 2a SA
- 44510 Curved Fine Point - 7a SA

🔧 lbs. .60



Slotted, Phillips, TORX® Set In Steel Box




28094 11 Piece Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 3.0, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1
- ⊗ **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15

🔧 lbs. 1.51



26993 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

26993 Set includes the following blades:

- **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm
- ⊕ **Phillips:** 000, 00, 0, 1

🔧 lbs. .87





ESD Anti-Static Vinyl Pouch Set



28091 6 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:

↓ **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

↔ lbs. .25

ESD Safe



28097 9 Piece Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha Interchangeable blades.

28097 Set includes the following blades:


↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⚙ **TORX®:** T5, T6, T7, T8, T9, T10, T15

↔ lbs. .33

ESD Safe



28084 13 Piece Slotted, Phillips and Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

↓ **Slotted:** 1.5, 2.0, 3.0, 4.0mm

⊕ **Phillips:** 000, 00, 0, 1

⬢ **Ball End Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ lbs. .44

ESD Safe



28087 8 Piece TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28087 Set includes the following blades:


⚙ **TORX® Sizes on standard blades:** T3, T4, T5

⚙ **TORX® Sizes on reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ lbs. .29

ESD Safe



26996 5 Piece Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 4 Wiha interchangeable blades.

26996 ⊕ **Phillips:** 000, 00, 0, 1

↓ **Slotted:** 1.5, 2.0, 3.0, 3.5mm

↔ lbs. .54



26997 9 Pc. Slotted, Phillips and TORX® Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26997 ⊕ **Phillips:** 000, 00, 0, 1

↓ **Slotted:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⚙ **TORX®:** T6, T7, T8, T9, T10, T15

↔ lbs. .64



26999 9 Piece Hex Metric Precision Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26999 ⬢ **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm

↔ lbs. .66



26989 9 Piece Hex Inch Precision Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26989 ⬢ **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

↔ lbs. .64



26995 5 Piece TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 4 interchangeable blades.

26995 ⚙ **TORX®:** T6, T7, T8, T9, T10, T15, T20

↔ lbs. .52



26987 8 Piece TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

⚙ **TORX® standard blades:** T3, T4, T5

⚙ **TORX® reversible blades:**

T6, T7, T8, T9, T10, T15, T20

↔ lbs. .62

[SHOP NOW](#)

Wiha SYSTEM 4 Micro Bits

SYSTEM 4 Handles & Micro Bits

Tips
Exact fit,
precision
machined

Rotating Cap
for precise
turning and
control

Tapered Handle
allows rapid rotation,
requires less clearance

Bits CVM steel,
hardened

Use bits directly in handle or with 4" bit extension


[SHOP NOW](#)

750 SYSTEM 4 Slotted Micro Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75008	0.8	28	1.1	.01
75012	1.2	28	1.1	.01
75015	1.5	28	1.1	.01
75018	1.8	28	1.1	.01
75020	2.0	28	1.1	.01
75025	2.5	28	1.1	.01
75030	3.0	28	1.1	.01
75035	3.5	28	1.1	.01
75040	4.0	28	1.1	.01



751 SYSTEM 4 Phillips Micro Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item				
No.	Size	mm	Inch	lbs.
75105	000	28	1.1	.01
75110	00	28	1.1	.01
75115	0	28	1.1	.01
75120	1	28	1.1	.01



753 SYSTEM 4 Hex Metric Micro Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75307	.71	28	1.1	.01
75309	.89	28	1.1	.01
75313	1.27	28	1.1	.01
75315	1.5	28	1.1	.01
75320	2.0	28	1.1	.01
75325	2.5	28	1.1	.01
75330	3.0	28	1.1	.01
75340	4.0	28	1.1	.01



753 SYSTEM 4 Hex Inch Micro Bits High alloy chrome-vanadium-molybdenum steel, hardened, on 4 mm hex stock.

Item				
No.	Inch	mm	Inch	lbs.
75307	.028	28	1.1	.01
75309	.035	28	1.1	.01
75313	.050	28	1.1	.01
75350	1/16	28	1.1	.01
75352	5/64	28	1.1	.01
75354	3/32	28	1.1	.01
75356	7/64	28	1.1	.01
75358	1/8	28	1.1	.01
75360	9/64	28	1.1	.01
75340	5/32	28	1.1	.01



75800 SYSTEM 4 Standard Precision Bit Handle

Rotating control cap for precise turning and control. Wiha Precision handle, tapered, high quality plastic, impact resistant, ball retainer. Accepts all SYSTEM 4 Series bits. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
75800	4.0	.1574	14.0	.55	.06



75801 SYSTEM 4 ESD Safe Dissipative Precision Bit Handle

with rotating control cap. Wiha precision handle, tapered, high quality plastic, impact resistant. 110mm/4.3" OAL

Advantages:

- For working in ESD sensitive applications
Surface resistant 10^6 - 10^9 Ohms
- Ball retainer holds bits securely in place
- Accepts all SYSTEM 4 Series bits

Item					
No.	mm	Inch	mm	Inch	lbs.
75801	4.0	.1574	14.0	.55	.06

SYSTEM 4 Micro Bit Extension Blades



75900 Extension Blade For SYSTEM 4 Micro Bits

Shaft CVM steel, hardened, corrosion protected. Ball retainer bit extension for 4mm bits.

Item				
No.	Size	mm	mm	lbs.
75900	4.0	100	4.0	.07



75901 Magnetic Bit Extension Blade For SYSTEM 4 Micro Bits

Shaft Chrome-vanadium-molybdenum steel, hardened, corrosion protected. Magnetic bit holder.

Item				
No.	Size	mm	mm	lbs.
75901	4.0	100	4.0	.04

SHOP NOW

Wiha SYSTEM 4 Micro Bits



757 SYSTEM 4 TORX® Micro Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75703	T3	28	1.1	.01
75704	T4	28	1.1	.01
75705	T5	28	1.1	.01
75706	T6	28	1.1	.01
75707	T7	28	1.1	.01
75708	T8	28	1.1	.01
75709	T9	28	1.1	.01
75710	T10	28	1.1	.01
75715	T15	28	1.1	.01
75720	T20	28	1.1	.01



757 SYSTEM 4 Security TORX® Micro Bits

High alloy CVM steel, hardened, on 4 mm stock.

Item				
No.	Size	mm	Inch	lbs.
75727	T7s	28	1.1	.01
75728	T8s	28	1.1	.01
75729	T9s	28	1.1	.01
75735	T10s	28	1.1	.01
75739	T15s	28	1.1	.01
75742	T20s	28	1.1	.01



753 SYSTEM 4 Metric Security Hex Micro Bits

High alloy CVM steel, hardened, on 4 mm hex stock.

Item				
No.	mm	mm	Inch	lbs.
75322	2.0	28	1.1	.01
75327	2.5	28	1.1	.01
75332	3.0	28	1.1	.01
75342	4.0	28	1.1	.01

753 SYSTEM 4 Security Hex Inch Micro Bits

Item				
No.	Inch	mm	Inch	lbs.
75362	5/64	28	1.1	.01
75364	3/32	28	1.1	.01
75366	7/64	28	1.1	.01
75368	1/8	28	1.1	.01
75370	9/64	28	1.1	.01
75372	5/32	28	1.1	.01

Micro Bit 1/4" Drive Power Tool Adapter



SHOP NOW

75902 Micro Bit 1/4" Drive Power Tool Adapter


Shaft CVM steel, hardened, corrosion protected.

For 4mm bits. 2.3" OAL

Item				
No.	Size	mm	mm	lbs.
75902	4.0	60	4.0	.07

SHOP NOW

Protturn Precision Power Driver Bit Set



75989 SYSTEM 4 Protturn Precision Power Screwdriver Set

W/Micro Bits, 40 Pcs. In Storage Box. Includes Wiha precision handle, Protturn Power Screwdriver & 38 interchangeable Micro bits.

Item	SYSTEM 4
No.	Combination Bit Set
75989	Set with System 4 Standard Precision Handle
	Set includes the following bits:
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	lbs. 1.18


SHOP NOW

SYSTEM 4 Interchangeable Bit Set

75990 SYSTEM 4 Interchangeable Bit Set,

40 Pcs. In Canvas Pouch. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item	SYSTEM 4
No.	Combination Bit Set
75990	Set with ESD Safe Precision Handle
	Set includes the following bits:
	Slotted: 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
	Phillips: 000, 00, 0, 1
	TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15
	Hex Metric: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
	Hex Inch: .028(.7), .035(.9), .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	100mm Bit Extension
	lbs. .65



40 Pc. Set



SHOP NOW

Wiha SYS 4 Micro Bits & Compact Bit Sets

75999 SYSTEM 4 Slotted, Phillips, Hex Inch & Metric Precision Interchangeable Bit Set, 26 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension & 24 interchangeable bits.

Item No. Combination Bit Set

75999 Set with Standard Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  **lbs.** .64



26 Pc. Set

75792 SYSTEM 4 **TORX®** Precision Interchangeable Bit Set, 11 Pcs. In Compact Fold Out Box.

Sets includes Wiha precision handle, bit extension and 9 Wiha interchangeable bits.

Item SYSTEM 4 TORX® Bit Set

No. Set with ESD Safe Precision Handle

75792 and the following bits:

-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **100mm Bit Extension**
-  **lbs.** .54



11 Pc. Set

75395 SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, 18 Pcs. In Compact Fold Out Box. Wiha precision handle, bit extension and 16 Wiha interchangeable bits.

Item No. Combination Bit Set

75395 Set with Standard Precision Handle

Includes the following bits:

-  **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  **lbs.** .58



18 Pc. Set

759 sets SYSTEM 4 Slotted/Phillips/Hex Inch/**TORX®** Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box. Sets include your choice of Wiha precision handle, bit extension and 25 Wiha interchangeable bits.

Item Handle Options for SYSTEM 4

No. Combination Bit Sets

75991 Set with Standard Precision Handle

75992 Set with ESD Safe Precision Handle

Sets include the following bits:

- †  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Inch:** .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  **lbs.** .64



27 Pc. Set

75996 SYSTEM 4 Interchangeable Bit Set, 40 Pcs. In Storage Box. Includes Wiha precision handle, bit extension & 38 interchangeable bits.

Item SYSTEM 4

No. Combination Bit Set

75996 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 0.8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Metric:** 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **Hex Inch:** .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **100mm Bit Extension**
-  **lbs.** 1.04



40 Pc. Set



75994 SYSTEM 4 Slotted/Phillips/Hex Metric/**TORX®** Precision Interchangeable Bit Set, 27 Pcs. In Compact Fold Out Box.

Set includes Wiha precision handle, bit extension and 25 Wiha interchangeable bits.


Item SYSTEM 4

No. Combination Bit Set

75994 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 3.0, 4.0mm
-  **Phillips:** 000, 00, 0, 1
-  **TORX®:** T3, T4, T5, T6, T7, T8, T9, T10, T15
-  **Hex Metric:** .71, .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **100mm Bit Extension**
-  **lbs.** .64




27 Pc. Set

Technicians MicroBit Sets

- Micro Precision Bits on 4mm Hex Drive
- Bits of Exclusive CRM-72 Tool Steel
- Handle uses non-magnetic ball retainer
- Use bits in extension only
- Standard extension adds 4" to length
- Non-magnetic bit extension

Light weight & compact



Rotation cap

Handle tapered for precise control

Bits hardened for extreme durability

Surface resistance of handles is $10^6 - 10^9$ Ohms



75093 SYSTEM 4 Slotted, Phillips, TORX®
Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75093 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
-  **Phillips:** 00, 0, 1
-  **TORX®:** T6, T7, T8, T9, T10, T15, T20
-  **100mm Bit Extension**
-  **lbs. .17**



75095 SYSTEM 4 Slotted, Phillips, Hex Metric
Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75095 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
-  **Phillips:** 00, 0, 1
-  **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **100mm Bit Extension**
-  **lbs. .17**




75094 SYSTEM 4 Slotted, Phillips, Hex Inch
Compact ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75094 Set with ESD Safe Precision Handle

Set includes the following bits:

- †  **Slotted:** 1.5, 2.0, 2.5, 3.0mm
-  **Phillips:** 00, 0, 1
-  **Hex Inch:** .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8"
-  **100mm Bit Extension**
-  **lbs. .17**



75096 SYSTEM 4 Hex Inch & Metric Compact
ESD Precision Interchangeable Bit Set, 16 Pcs. Wiha precision handle, bit extension & 14 interchangeable bits.

Item No. Combination Bit Set

75096 Set with ESD Safe Precision Handle

Set includes the following bits:

-  **Hex Inch:** 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
-  **Hex Metric:** .89, 1.27, 1.5, 2.0, 2.5, 3.0, 4.0mm
-  **100mm Bit Extension**
-  **lbs. .17**



SHOP NOW

Wiha Precision Electronic Pliers & Cutters

Electronics pliers with cutting edges are designed especially for cutting soft to medium hard wires.

C70 tool steel HR60 hardness

Glare free black finish

Precision ground cutting edges for smooth cuts



The Comfortable Precision Pliers & Cutters




Velvet soft ergonomically designed multi component handle

Lay-on, riveted precision joint

Light weight design for maximum user comfort in production work

Electronic Diagonal Cutters




Full Flush

#56818 Precision Electronic Diagonal Cutters, Wide Pointed Head

Cutting edge - full flush. With return spring. C70 special tool steel. For an absolutely flush cut of copper wire.

#56818	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.22

Electronic Diagonal Cutters




Semi Flush

#56815 Precision Electronic Diagonal Cutters, Wide Pointed Head

Cutting edge - semi flush. With return spring. C70 special tool steel. Universal small diagonal cutter for cutting copper wires.

Item No.	mm	Inch	Cut Capacity	Medium Hard Wire	Pkg.	lbs.
#56815	138	5.5	2.0mm/12AWG	0.8	5	.23

Electronic Diagonal Cutters



Full Flush


Wire Holding Spring

#56825 Precision Electronic Diagonal Cutters, Wide Shape With Wire Holding Spring

Wide, Pointed head. Cutting edge - full flush. With return spring & fixture for holding ends of wires that have been cut off. C70 special tool steel. For an absolutely flush cut of copper wire.

#56825	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.23

Electronic Diagonal Cutters



Full Flush

#56812 Precision Electronic Diagonal Cutters, Narrow Shape

Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.


#56812	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.8mm/20AWG	5	.19

[SHOP NOW](#)

Electronic Diagonal Cutters



Wire Holding Spring




Full Flush

#56813 Precision Electronic Diagonal Full Flush Cutters With Wire Trapping Spring Extra narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. With return spring. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56813	mm	Inch	Cut Capacity	Pkg.	lbs.
	128	5.0	1.0mm/18AWG	5	.19

Electronic Oblique 48° Cutter




Full Flush

#56833 Electronic Oblique 48° Cutter

Wide pointed head. Cutting edge - full flush. With cutting edge at 48° for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56833	mm	Inch	Cut Capacity	Pkg.	lbs.
	138	5.5	1.3mm/16AWG	5	.22

Narrow Front Cutter/Long Nose Pliers




Full Flush

#56830 Electronic Narrow 30° Front Cutter / Long Nose Pliers

Extremely narrow, short head for working in particularly restricted spaces. Cutting edge - full flush. Edge at 30° to face end of pliers for cutting obliquely from above or from the side. C70 special tool steel. For absolutely flush cutting of copper wires in difficult to access locations.

#56830	mm	Inch	Cut Capacity	Pkg.	lbs.
	118	4.5	0.6mm/22AWG	5	.19

Electronic Pointed Pliers




#56801 Electronic Short Nose Precision Pliers

Narrow, short head. Smooth jaws. Width at tip is only 1.2mm. C70 special tool steel. For holding small components as well as for holding and angling wires.

#56801	mm	Inch	Pkg.	lbs.
	138	5.5	5	.23

Electronic Stripping Pliers



#56871 Electronic Stripping Pliers

Wide long head with ridged gripping surface, shears blade and firm wire stripping stations. With opening spring and locking mechanism. Wire stripping stations 0.81 / 1.0 / 1.3 / 1.6 / 2.0 / 2.59mm, AWG 20 / 18 / 16 / 14 / 12 / 10.

#56871	mm	Inch	Ø	AWG	Pkg.	lbs.
	180	7.0	0.81-2.59	20-10	5	.15



SHOP NOW



Professional Quality ESD Tweezers

ESD SAFE • STATIC DISSIPATIVE • HYPO ALLERGENIC COATED • TEXTURED GRIPPING SURFACE



Universal Fine Point Tweezers

Item No.	Description	wt.
44501	AA SA ESD - 130mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Fine Round Points For Assembly

Item No.	Description	wt.
44506	3 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Sturdy Long, Fine Round Points

Item No.	Description	wt.
44502	GG SA ESD - 130mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Fine Round Points Shorter

Item No.	Description	wt.
44507	3c SA ESD - 110mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Long Narrow Body Low Force

Item No.	Description	wt.
44503	SS SA ESD - 135mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Very Fine Points/Tapered To Tip

Item No.	Description	wt.
44508	4 SA ESD - 110mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Reduced Body To Medium Point

Item No.	Description	wt.
44504	2 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Extra Fine Points/Tapered To Tip

Item No.	Description	wt.
44509	5 SA ESD - 110mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Flat Round Tip Smooth Sides

Item No.	Description	wt.
44505	2a SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Curved Extra Fine Rounded Tips

Item No.	Description	wt.
44510	7a SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		

Wiha Professional Quality ESD Safe Tweezers



Holds 0.8 to 2mm Diameter

Item No.	Description	wt.
44511	50 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Narrow Rounded Tip Serrated, Guide Pin

Item No.	Description	wt.
44518	22 SA ESD - 150mm	.10
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Holds 1.5 to 3mm Diameter

Item No.	Description	wt.
44512	51 SA ESD - 130mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Universal Blunt Tip Serrated

Item No.	Description	wt.
44520	40 SA ESD - 145mm	.11
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
44513	52 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



MicroTip 45° Hook 1x1x2mm

Item No.	Description	wt.
44521	12 SA-SMD ESD - 120mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
44514	53 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



MicroTip For Chips Angled 1.6 x 1 x 1mm

Item No.	Description	wt.
44522	13 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Angled 3.5 to 7mm Diameter

Item No.	Description	wt.
44515	54 SA ESD - 120mm	.08
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		



Long Rounded to 1.0mm Wide No Serration

Item No.	Description	wt.
44523	PSF SA ESD - 125mm	.09
Static dissipative, ESD Safe hypo allergenic tweezers made from Vommaloy. Special stainless steel, anti-magnetic and acid resistant.		

[SHOP NOW](#)

Wiha Professional Quality ESD Safe Tweezers



Flat Bent 35°, 3mm Diameter Grip

Item No.	Description	wt.
44524	58 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



MicroTip Bent 30° 1.6mm

Item No.	Description	wt.
44529	8b SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



Curved Extra Fine, 3mm Long Straight Tip

Item No.	Description	wt.
44525	7abb SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



Flat Bent 35° - 2mm Diameter Grip Radius

Item No.	Description	wt.
44530	59 SA-SMD ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



Narrow Body Low Force Bent 35° - 3mm Tip

Item No.	Description	wt.
44526	SSbb SA ESD - 140mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



ESD Safe General Purpose Fine Point

Item No.	Description	wt.
44531	1 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



Angled Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
44527	5abb SA ESD - 117mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



Heavy Duty Strong Tweezers Tapered To Strong Point

Item No.	Description	wt.
44532	00 SA ESD - 120mm	.09

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



Extra Fine Points Bent 30° - 3mm Long Tips

Item No.	Description	wt.
44528	5bb SA ESD - 107mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.



Angled & Slightly Bent With Extra Fine Tips

Item No.	Description	wt.
44533	7 SA ESD - 120mm	.08

Static dissipative, ESD Safe hypo allergenic tweezers made from Vomalloy.
Special stainless steel, anti-magnetic and acid resistant.

Professional Quality Tweezers In Standard & Special Sizes



Blunt Tip, Serrated

Item No.	Description	wt.
43010	40 - 145mm	.11

Carbon steel tweezers. Nickel-plated finish.



Curved Extra Fine, 3mm Long Angled Tip

Item No.	Description	wt.
46950	7abb SA - 120mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Heavy Duty Forming Tweezers

Item No.	Description	wt.
43800	8 SA - 120mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Fine Points Angled With 40° - Tip Bend

Item No.	Description	wt.
46970	5abb SA - 117mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Long Tapered to Fine Tip Serrated

Item No.	Description	wt.
45010	30 - 145mm	.09

Carbon steel tweezers. Nickel-plated finish.



Narrow Body Low Force Bent 35° - 3mm Long Tip

Item No.	Description	wt.
46971	SSbb SA - 140mm	.10

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.



Extra Fine Points Bent 30° - 3mm Long Tip

Item No.	Description	wt.
46972	5bb SA - 107mm	.07

Stainless steel, anti-magnetic and acid resistant.
Brushed finish tweezers made from Vomalloy.

SHOP NOW

Professional Quality Tweezers In Standard & Special Sizes



Fine Hooked & Tapered Tips

Item No.	Description	 wt.
46987	6 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		



Flat Round Tip Smooth Sides

Item No.	Description	 wt.
49378	2a SA - 120mm	.07
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		



Blunt 1mm Wide Tip Serrated

Item No.	Description	 wt.
49185	PSF - 125mm	.08
Carbon steel tweezers. Nickel-plated finish.		



Very Fine Points Bent 40° Tapered To Tip

Item No.	Description	 wt.
49380	4b SA - 110mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		



Flat Round Tip Bent 30° Smooth Sides

Item No.	Description	 wt.
49368	2ab SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		



Reduced Body to Medium Point

Item No.	Description	 wt.
49381	2 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		



Angled Upward Extra Fine Tips

Item No.	Description	 wt.
49375	7 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		



Flat and Broad Tips 3mm Wide

Item No.	Description	 wt.
49382	F SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.		

Professional Quality Tweezers In Standard & Special Sizes



Fine Points for Assembly

Item No.	Description	wt.
49383	3 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Longer Narrow Body Low Force

Item No.	Description	wt.
49487	SSL SA - 160mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Blunt Tips - 1.0mm Wide Serrated

Item No.	Description	wt.
49385	PSF SA - 125mm	.09
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Very Fine Round Points & Tapered To Tip

Item No.	Description	wt.
49779	4 SA - 110mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Long Narrow Body Low Force

Item No.	Description	wt.
49387	SS SA - 140mm	.07
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Fine Round Points Shorter

Item No.	Description	wt.
49783	3c SA - 110mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Strong, Long Tapered Fine Tips

Item No.	Description	wt.
49388	GG SA - 130mm	.09
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Very Fine Points Tapered Long

Item No.	Description	wt.
49879	4L SA - 140mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		



Flat Round Tip Smooth Sides

Item No.	Description	wt.
49478	2a SA T - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Teflon finish tweezers made from Vommaloy.		

SHOP NOW

Professional Quality Wafer Tweezers



Back Stop, Top 2.4 Bottom 7mm

Item No.	Description		wt.
43799	37 SA - 120mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.			



16mm Wide With Back Stop

Item No.	Description		wt.
44159	49 SA - 125mm		.09
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.			



9mm Wide With Back Stop Pins

Item No.	Description		wt.
43948	89 SA - 125mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.			



Bent Large 20mm Wide, Back Stop

Item No.	Description		wt.
46069	61 SA - 125mm		.11
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.			



12mm Wide With Back Stop Pins

Item No.	Description		wt.
43949	89a SA - 125mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.			



Long Flat Straight 5mm Wide

Item No.	Description		wt.
49584	39 SA - 125mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.			



Angled 4 Pin 12mm Wide

Item No.	Description		wt.
44149	16 SA - 125mm		.08
Stainless steel, anti-magnetic and acid resistant. Wafer tweezers made from Vomalloy.			



Flat Angled 5mm Wide

Item No.	Description		wt.
49587	38a SA - 103mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vomalloy.			

Professional Quality Guide Pins Tweezers



Fine Tip Straight, Guide Pin, Fine Serrated

Item No.	Description	wt.
42012	17 - 120mm	.08
Carbon steel. Nickel-plated finish.		



Fine Bent, Guide Pin, Serrated

Item No.	Description	wt.
45213	35B SA - 145mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.		



Fine Tip Bent, Guide Pin, Fine Serrated

Item No.	Description	wt.
42013	17B - 120mm	.08
Carbon steel. Nickel-plated finish.		



Long Pointed, Angled Tip, Guide Pin & Lock

Item No.	Description	wt.
49150	20S - 150mm	.10
Stainless steel. Polished finish.		



Bent, Long, Guide Pin, Fine Serrated Tweezers

Item No.	Description	wt.
45113	33b - 165mm	.10
Carbon steel. Nickel-plated finish.		



Narrow Body, Bent, Long, Guide Pin, Serrated Tweezers

Item No.	Description	wt.
49154	22b S - 155mm	.09
Stainless steel. Natural finish.		



Universal Straight Guide Pin, Fine Serrated

Item No.	Description	wt.
45212	35 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommaloy.		



Narrow Body, Straight, Long, Guide Pin, Serrated Tweezers

Item No.	Description	wt.
49159	22 SA - 155mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommaloy.		

SHOP NOW

Professional SMD Tweezers

COMPONENT POSITIONING & DESOLDERING TWEEZERS



Flat Bent 35° 3mm Dia. Milled Slot

Item No.	Description	wt.
42142	58 SA SMD - 117mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommalloy.		



Holds 6.5 to 10mm Diameter

Item No.	Description	wt.
42150	53 SA - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommalloy.		



Vertical Long, Holds 2.5 to 5mm Diameter

Item No.	Description	wt.
43414	64 SA - 145mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommalloy.		



Bent Long, Holds 3.5 to 7mm Diameter

Item No.	Description	wt.
43419	63 SA - 145mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vommalloy.		

Cutting Tweezers



End Cutting Tweezers

Item No.	Description	wt.
46500	D - 95mm	.11
Carbon steel. UnPlated finish.		



Curved Very Fine Cutting Tweezers

Item No.	Description	wt.
48307	C7 - 115mm	.08
Carbon steel made from Vommalloy. Brushed finish.		

Super Thin Foil Tweezers



Blunt, Thin .035", Very Low Force

Item No.	Description	wt.
49215	112 SA - 100mm	.05
Stainless steel, anti-magnetic and acid resistant. Polished finish tweezers made from Vommalloy.		

Long Tweezers With Serrated Pattern Tips



Rounded Tip Long With Grip Pattern

Item No.	Description	wt.
49709	D13 SA - 160mm	.10
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommalloy.		

Professional Quality Self Closing Tweezers



Long Straight Tweezers

Item No.	Description		wt.
43270	R29 S - 160mm		.11
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.			



Reverse 3 Fine Round Points For Assembly

Item No.	Description		wt.
45803	R3 SA - 115mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.			



Long Bent Tweezers

Item No.	Description		wt.
43271	R29b SA - 160mm		.12
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.			



Chip Holding Curved Fine Micro Tip

Item No.	Description		wt.
46610	R10 SA SMD - 117mm		.07
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.			



Pointed Self Closing Long Straight

Item No.	Description		wt.
43272	R29 - 160mm		.11
Carbon steel. Nickel-plated finish.			



Straight Flat Square End 5mm Wide

Item No.	Description		wt.
48050	R50 SA - 105mm		.07
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.			



Long Bent Tweezers

Item No.	Description		wt.
43273	R29b - 160mm		.12
Carbon steel. Nickel-plated finish.			



Strong With Square Ends Deep Serrated

Item No.	Description		wt.
48075	R30 - 160mm		.13
Carbon steel. Nickel-plated finish.			



Reverse 2 Flat Round Tip Smooth Sides

Item No.	Description		wt.
45802	R2a SA - 115mm		.08
Stainless steel, anti-magnetic and acid resistant. Brushed Finish tweezers made from Vomalloy.			

[SHOP NOW](#)

Microscopy Tweezers



MicroTip 30° Bend & 0.5mm Slot Milled

Item No.	Description	 wt.
46611	11SA SMD - 117mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommalloy.		



MicroTip Straight & 0.5mm Slot Milled

Item No.	Description	 wt.
46615	8SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommalloy.		



MicroTip 40° Hook 1x1x2mm Long

Item No.	Description	 wt.
46612	12SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommalloy.		



Uncoated

MicroTip Bent 30° - 1.6mm

Item No.	Description	 wt.
46616	8b SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommalloy.		



MicroTip 40° Hook 1.6x1x1mm Wide

Item No.	Description	 wt.
46613	13SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommalloy.		



MicroTip 30° Bent & Angled With 0.5 Slot

Item No.	Description	 wt.
46619	19 SA SMD - 120mm	.08
Stainless steel, anti-magnetic and acid resistant. Brushed finish tweezers made from Vommalloy.		

Isolated Tweezers With Dipped Handles



Universal Pointed Tip Isolated

Item No.	Description	 wt.
48100	AA isol - 130mm	.10
Carbon steel. Nickel-plated finish.		



Narrow Pointed & Straight Isolated Serrated

Item No.	Description	 wt.
49158	22 isol - 155mm	.10
Carbon steel. Nickel-plated finish.		

[SHOP NOW](#)

Inspection Mirrors All Stainless Detachable & Boilable

Mirrors-Clean Room Quality

For Visual Checks and Fault Finding at Inaccessible Locations

Natural Finish,
Stainless Steel

Magnifying,
Boilable



40410 - #0

Inspection Mirror - Stainless 10mm

Item No.	Description	wt.
40410	#0 IM - 185mm	.09



40414 - #0

Inspection Mirror - Stainless 14mm

Item No.	Description	wt.
40414	#0 IM - 200mm	.09



40420 - #3

Inspection Mirror - Stainless 20mm

Item No.	Description	wt.
40420	#3 IM - 205mm	.09



40422 - #4

Inspection Mirror - Stainless 22mm Short Stem

Item No.	Description	wt.
40422	#4 IM - 175mm	.10



40424 - #5

Inspection Mirror - Stainless 24mm Short Stem

Item No.	Description	wt.
40424	#5 IM - 175mm	.10



40426 - #6

Inspection Mirror - Stainless 26mm

Item No.	Description	wt.
40426	#6 IM - 215mm	.10



40430 - #8

Inspection Mirror - Stainless 30mm

Item No.	Description	wt.
40430	#8 IM - 215mm	.10



Disposable Inspection Mirrors

Item No.	Description	wt.
40425	5 Pack - Plastic	.10

Set includes: White disposable inspection mirror
#5 Inspection Mirrors - 24mm x 146mm

[SHOP NOW](#)

One Piece All Stainless Hooks

Sculpting & Scribing Hooks- Clean Room Quality

- Sharp Hooks For Cutting & Marking
- Surgical Stainless Steel
- Natural Finish
- For Work on PCB's, Modeling
- All Stainless Single Piece Construction



Approx. 5mm Wide Short Tapered & Curved

Item No.	Description	wt.
43236	3230.6-60 Hook - 155mm	.10




Approx. 4mm Wide Squared & Curved

Item No.	Description	wt.
43235	3230.5-59 Hook - 155mm	.10

SHOP NOW

Professional Quality Excavators & Probes

One Piece All Stainless Probes



Probes-Clean Room Quality

- For Levering & Removing Components
- Stainless Steel, For Work on PCB's, Modeling, Polished Finish



Stainless Steel Straight Probe

Item No.	Description	wt.
43229	3220.9-11 Probe - 170mm	.07

All Stainless Single Piece Construction-Clean Room Quality



Stainless Steel Probe

Item No.	Description	wt.
43221	3220.1-07 Probe - 170mm	.08

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
43225	3220.5-09 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
43222	3220.2-06 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
43226	3220.6-10 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
43223	3220.3-05 Probe - 170mm	.07

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
43228	3220.8-02 Probe - 170mm	.08

Stainless steel, polished finish.



Stainless Steel Probe

Item No.	Description	wt.
43224	3220.4-16 Probe - 170mm	.07

Stainless steel, polished finish.

One Piece All Stainless Excavators

Excavators-Clean Room Quality

- Can Be Used as Mini-Spatulas
- For Work on PCB's, Modeling
- Surgical Stainless Steel, Polished Finish
- Single Piece Construction



#43251

1mm Excavator

Item No.	Description	wt.
43251	3225.1-39 - 165mm	.09



#43252

2mm Excavator

Item No.	Description	wt.
43252	3225.2-35 - 165mm	.09



#43253

2.5mm Excavator

Item No.	Description	wt.
43253	3225.3-31 - 165mm	.10

Automatic Stripping Tool



Interchangeable stripping blade cassettes



Cuts & strips up to 10mm²/8 AWG - Strips PVC, THHW, TEFLON insulations



Ergonomic design with non-slip two component handles



Easy/snag free wire removal from tool - jaws stay open after strip

Self Adjusting Cut & Strip Tool



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Cables: Conduit wire, Flex mains cable, Equipment wire, Flat modplug cable etc.

34-8 AWG

44212 Self Adjusting Cutting & Stripping Tool

Easily interchangeable stripping cassettes enables a wide range of insulations from PVC to PTFE. Light weight soft grip handle qualified for high volume production and portable/field usage.

#44212	mm	Inch	AWG	Strip Dim.	lbs.	Pkg.
	191	7.5	34 - 8	0.02-10mm²	.30	1

Replaceable Cassette - Straight Blade



Straight Blade Cassette Stripping Range
0.02 - 10.0mm²



Straight
34-8 AWG

44214 Straight Blade Cassette, PVC Insulations

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44214	AWG	Strip Range	lbs.	Pkg.
	34 - 8	0.02-10mm²	.02	1

Replaceable Cassette - 4-16mm²



Stripping Range
4-16mm²



Radius Blade
10-5 AWG

44269 Replaceable Cassette, 4-16mm Stripping Range

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44269	AWG	Strip Range	lbs.	Pkg.
	10 - 5	4-16mm²	.02	1

Replaceable Cassette - "V" Blade



"V" Blade Stripping Range
0.1 - 4mm²



VBC for PTFE
28-12 AWG


44213 Replaceable VBC or PTFE Cassette, "V" Blade

Fine adjustability ensures that thin insulations can be stripped without damage to conductors. At the end of the stripping function, the stripping blades open and remain open during the return phase of the strip cycle facilitating easy/snag free wire removal from the tool.

#44213	AWG	Strip Range	lbs.	Pkg.
	28 - 12	0.1-4mm²	.02	1

SHOP NOW

Heavy Duty Adjustable Cable Stripper



Circular + Straight Window Strip
Circular + Spiral Strip



Cables: Power cable. Multi-conductor control, fiber optic and copper trunk cables

Replacement Blade



Replacement cutting blades can be stored within the tool

SHOP NOW

Precision Adjustable Stripping Tool



Replaceable Blade

Cables: Multi core cable, Modplug cable. Fiber optic cable etc.

Replacement Blade



Replacement Blade

SHOP NOW

CATV/Satellite Stripper



Strips: RG59 & RG6 CATV coaxial cables

44217 Jacket Stripper - Heavy Duty Adjustable

Professional stripping tool for cables of all insulations types. Positive locking positions for circular, lengthways and spiral strips. Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

#44217	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	168	6.6	4.5-40mm ²	0-4.5mm	.26	1

44218 Replacement Blade For 44217 Stripper

Interchangeable cable retention hooks give cable stripping capacity of up to 40mm/1.57 inch diameter. Replacement cutting blades can be stored within the tool.

#44218	Replacement Blade For 44217 Stripper	lbs.	Pkg.
		.01	1

44220 Precision Adjustable Stripping Tool

Professional stripping tool removes the outer cable jacket from signal, telephone, audiovisual, instrumentation and data transmission copper and fiber optic cables up to 11mm/0.43" diameter. The tool features a 9 position indexed blade height adjustment wheel ensuring accurate & repeatable stripping results. Simply squeeze together to open the stripping cavity - insert cable, rotate once and pull off the scrap insulation. Smooth, Lightweight and pocket size. No open blade, replacement blades encased within cassette.

#44220	mm	Inch	Strip Range	Strip Range	lbs.	Pkg.
	90.5	3.6	2.5-11mm	.10"/0.43"	.06	1

44221 Replacement Blade For 44220 Stripper

Stripping capacity of up to 2.5-11mm/0.43" diameter.

#44221	Strip Range	Strip Dim.	lbs.	Pkg.
	2.5-11mm	11mm/0.43"	.01	1

44206 CATV/Satellite Stripper

Quickly & simply strips RG59 & RG6 coaxial cables for CATV "F" type connectors giving industry standard strip lengths of 6.35mm/.25" for both the braid and the conductor. Patented spring-like action and built-in stop eliminates the need for manual adjustment for different cables.


#44206	mm	Inch	Strip Length	lbs.	Pkg.
	83	3.3"	6.35mm/.25" Braid/Conductor	.05	1



Adjustable Screw
For Precise Blade
Positioning



4 Cable V-blocks



Reversible
Cassettes
Long Life



Stepped Stripping
Depth For
Reduced Friction

2 Step				
	A	B		
	44237	44238	44239	44240
	Blue	Red	Yellow	Orange
"B" mm	6.8	6.0	12.0	9.2
"B" Inch	0.27"	0.24"	0.47"	0.36"
"A"	User adjusted			

Blue Cassette Stripping Tool Kit



2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281

2 Step Red Cassette Stripping Tool Kit



2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281

2 Step Yellow Cassette Stripping Tool Kit




2 Step

Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8281

2 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/
188/195/316/6/
Belden 8281



Stripping Tool - No Cassette



44200 Cassette Hand-Stripping Tool Accurate & versatile coaxial hand-stripping tool. Holds all 2 or 3 step cassettes.

#44200	lbs.	Pkg.
	.07	1

44227 Blue Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44227	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.8mm	.09	1
			0.10"-0.30"	0.27"		

44222 2 Step Red Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 6.0mm/.24". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44222	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.0mm	.09	1
			0.10"-0.30"	0.24"		

44224 2 Step Yellow Cassette Hand-Stripping Tool Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 12.0mm/.47". Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44224	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	12.0mm	.09	1
			0.10"-0.30"	0.47"		

442 2 Step Replacement Stripping Cassettes High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip Range	Strip Dim.	lbs.	Pkg.
44237	Blue	1.87-7.6mm	6.8(0.27")	.01	1
44238	Red	1.87-7.6mm	6.0(0.24")	.01	1
44239	Yellow	1.87-7.6mm	12.0(0.47")	.01	1
44240	Orange	1.87-7.6mm	9.2(0.36")	.01	1

Stripping Tool Set



44290 10 Piece Set, Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool, designed to provide 2 strip steps on chosen cable. Universal tool body accepts all cassettes.

#44290	Set includes: Stripping Tool, L-key, 4 Cable V-blocks & 4 Stripping Cassettes	lbs.	Pkg.
		.10	1

[SHOP NOW](#)


Adjustable Screw
For Precise Blade
Positioning



4 Cable V-blocks




Reversible
Cassettes
Long Life



Stepped Stripping
Depth For Reduce
Friction

3 Step



	44251	44255	44259	44260	44261
	Brown	Green	White	Dk. Brown	Black
"C" mm	8.3	6.0	6.8	7.5	5.5
"B" mm	2.7	6.0	2.5	3.5	5.5
"A"	User adjusted				

3 Step Brown Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8282



44241 3 Step Brown Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44241	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	8.3mm(B)	.08	1
			0.10"-0.30"	2.7mm(C)		

3 Step Green Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8283



44245 3 Step Green Cassette Kit

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44245	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.0mm(B)	.08	1
			0.10"-0.30"	6.0mm(C)		

3 Step White Cassette Kit



Cables: RG
58/59/62/174/180/188/
195/316/6/ Belden 8284



44249 3 Step White Cassette Kit


Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Enclosed V-blocks make stripper useful for cables in range of 2.5-7.6mm. Universal tool body accepts all cassettes. High quality steel blade cassettes with razor sharp edges for long, effective use.

#44249	mm	Inch	Strip Range	Strip Dim.	lbs.	Pkg.
	90	3.54	1.87-7.6mm	6.8mm(B)	.08	1
			0.10"-0.30"	2.5mm(C)		

3 Step Replacement Stripping Cassettes



Cables: RG
58/59/62/174/180/188/
195/316/6




442 3 Step Replacement Stripping Cassettes

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. High quality steel blade cassettes with razor sharp edges for long, effective use.

Item No.	Color	Strip B	Strip C	lbs.	Pkg.
44251	Brown	2.7mm/.11"	8.3mm/.33"	.01	1
44255	Green	6.0mm/.24"	6.0mm/.24"	.01	1
44259	White	2.5mm/.10"	6.8mm/.27"	.01	1
44260	Dk.Brown	3.5mm/.14"	7.5mm/.30"	.01	1
44261	Black	5.5mm/.22"	5.5mm/.22"	.01	1

Stripping Tool Set



44292 11 Piece Set, Cassette Hand-Stripping Tool

Accurate & versatile coaxial hand-stripping tool, designed to provide 3 strip steps on chosen cable. Universal tool body accepts all cassettes.

#44292	Set includes: Stripping Tool, L-key,	lbs.	Pkg.
	4 Cable V-blocks, 5 Stripping Cassettes	.11	1

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
26000 9	26135 10	26449 12	26702 9	26927 16	26993 17
26001 9	26136 10	26455 12	26703 9	26928 16	26995 18
26008 4	26140 10	26457 12	26704 9	26929 16	26996 18
26010 4	26142 10	26459 12	26705 9	26932 15	26997 18
26012 4	26145 10	26461 12	26706 9	26933 15	26999 18
26015 4	26190 5	26463 12	26707 9	26934 15	28000 15
26018 4	26192 5	26465 12	26708 9	26935 15	28001 15
26020 4	26193 10	26467 12	26709 9	26936 15	28021 16
26022 4	26194 5	26490 7	26710 9	26937 15	28023 16
26023 4	26199 5	26491 7	26715 9	26938 16	28024 16
26025 4	26205 6	26493 12	26720 9	26939 16	28025 16
26027 4	26210 6	26499 7	26721 11	26940 16	28026 16
26028 4	26307 6	26510 8	26723 11	26941 16	28027 16
26030 4	26309 6	26515 8	26725 11	26942 16	28028 16
26032 4	26313 6	26520 8	26727 11	26943 16	28029 16
26033 4	26315 6	26523 8	26729 11	26944 16	28033 16
26034 4	26316 6	26525 8	26731 11	26945 16	28034 16
26035 4	26320 6	26527 8	26732 11	26946 16	28035 16
26040 4	26323 6	26530 8	26733 11	26947 16	28036 16
26041 4	26325 6	26531 8	26735 11	26948 16	28037 16
26042 4	26327 6	26532 8	26736 11	26949 16	28080 17
26050 10	26330 6	26535 8	26737 11	26950 16	28084 18
26051 10	26331 6	26536 8	26739 11	26951 15	28087 18
26052 10	26333 6	26539 8	26741 11	26952 15	28091 18
26053 10	26336 6	26540 8	26743 11	26953 15	28094 17
26054 10	26340 6	26545 8	26745 11	26954 15	28097 18
26055 10	26341 12	26547 8	26747 11	26955 15	28620 7
26056 10	26343 12	26550 8	26749 11	26956 15	28622 7
26060 10	26345 12	26555 8	26751 11	26957 15	28624 7
26061 10	26347 12	26556 8	26790 9	26958 16	28626 7
26063 10	26349 12	26560 8	26791 9	26959 16	28627 7
26065 10	26351 12	26563 8	26792 9	26960 16	28629 7
26066 10	26353 12	26570 8	26793 11	26961 16	28632 7
26068 10	26363 12	26571 13	26796 11	26962 16	28633 7
26070 10	26367 12	26572 13	26798 11	26963 16	28637 7
26072 10	26369 12	26573 13	26799 9	26964 16	28638 7
26073 10	26371 12	26574 13	26810 9	26965 16	28644 7
26074 10	26390 6	26575 13	26815 11	26966 16	40010 13
26076 10	26391 6	26576 13	26900 15	26967 16	40410 36
26079 10	26392 12	26577 13	26901 15	26968 16	40414 36
26080 10	26393 12	26578 13	26903 15	26969 16	40420 36
26090 4	26399 6	26579 13	26904 15	26971 15	40422 36
26092 5	26413 7	26581 13	26905 15	26972 15	40424 36
26093 10	26415 7	26582 13	26911 15	26973 15	40425 36
26099 4	26416 7	26583 13	26912 15	26974 15	40426 36
26100 5	26419 7	26584 13	26913 16	26975 16	40430 36
26101 5	26420 7	26585 13	26914 16	26976 16	42012 32
26102 5	26423 7	26586 13	26915 16	26977 16	42013 32
26105 5	26425 7	26587 13	26916 16	26978 16	42142 33
26107 5	26427 7	26588 13	26917 16	26979 16	42150 33
26108 5	26430 7	26589 13	26918 16	26980 16	43010 28
26109 5	26431 7	26590 8	26919 16	26981 16	43221 37
26110 5	26436 7	26591 8	26920 16	26982 16	43222 37
26113 5	26439 7	26592 8	26921 16	26985 16	43223 37
26114 5	26440 7	26593 13	26922 15	26987 18	43224 37
26115 5	26441 12	26596 13	26923 16	26989 18	43225 37
26130 10	26443 12	26598 8	26924 16	26990 17	43226 37
26132 10	26445 12	26599 8	26925 16	26991 17	43228 37
26133 10	26447 12	26701 9	26926 16	26992 17	43229

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Notes:
43235	36	44520	26	49709	33	75395	21	
43236	36	44521	26	49779	30	75703	20	
43251	37	44522	26	49783	30	75704	20	
43252	37	44523	26	49879	30	75705	20	
43253	37	44524	27	56801	24	75706	20	
43270	34	44525	27	56812	23	75707	20	
43271	34	44526	27	56813	24	75708	20	
43272	34	44527	27	56815	23	75709	20	
43273	34	44528	27	56818	23	75710	20	
43419	33	44529	27	56825	23	75715	20	
43799	31	44530	27	56830	24	75720	20	
43800	28	44531	27	56833	24	75727	20	
43948	31	44532	27	56871	24	75728	20	
43949	31	44533	27	62990	14	75729	20	
44149	31	44590	17	62993	14	75735	20	
44159	31	45010	28	62994	14	75739	20	
44200	40	45113	32	62995	14	75742	20	
44206	39	45212	32	65090	14	75792	21	
44212	38	45213	32	75008	19	75800	19	
44213	38	45802	34	75012	19	75801	19	
44214	38	45803	34	75015	19	75900	19	
44217	39	46069	31	75018	19	75901	19	
44218	39	46500	33	75020	19	75902	20	
44220	39	46610	34	75025	19	75989	20	
44221	39	46611	35	75030	19	75990	20	
44222	40	46612	35	75035	19	75991	21	
44224	40	46613	35	75040	19	75992	21	
44227	40	46615	35	75093	22	75994	21	
44237	40	46616	35	75094	22	75996	21	
44238	40	46619	35	75095	22	75999	21	
44239	40	46950	28	75096	22	91118	8,13	
44240	40	46970	28	75105	19	92190	9	
44241	41	46971	28	75110	19	92191	9	
44245	41	46972	28	75115	19	95190	14	
44249	41	46987	29	75120	19	96800	14	
44251	41	48050	34	75307	19			
44255	41	48075	34	75309	19			
44259	41	48100	35	75313	19			
44260	41	48307	33	75315	19			
44261	41	49150	32	75320	19			
44269	38	49154	32	75322	20			
44290	40	49158	35	75325	19			
44292	41	49159	32	75327	20			
44501	25	49185	29	75330	19			
44502	25	49215	33	75332	20			
44503	25	49368	29	75340	19			
44504	25	49375	29	75342	20			
44505	25	49378	29	75350	19			
44506	25	49380	29	75352	19			
44507	25	49381	29	75354	19			
44508	25	49382	29	75356	19			
44509	25	49383	30	75358	19			
44510	25	49385	30	75360	19			
44511	26	49387	30	75362	20			
44512	26	49388	30	75364	20			
44513	26	49478	30	75366	20			
44514	26	49487	30	75368	20			
44515	26	49584	31	75370	20			
44518	26	49587	31	75372	20			



Presented By:



(800) 346-8274

fax: 253-476-1321

email: sales@carbideprocessors.com

www.carbideprocessors.com

Catalog Item No. 99006
version - 3/1/13

Subject to change without notice

©2013 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



99060.w - Product Guide



99004.w - Shop Tools Catalog



99914.w - TORX Catalog



99002.w - Screwdrivers Catalog



99951.w - Bits Catalog



99001.w - TorqueControl Catalog



99934.w - Hex Tools Catalog



99919.w - Insulated Catalog



99945.w - ESD Catalog



99977.w - Pliers/Crimpers Catalog